

Product datasheet for RC202911

MRPS12 (NM 033362) Human Tagged ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: MRPS12 (NM_033362) Human Tagged ORF Clone

Tag: Myc-DDK Symbol: MRPS12

Synonyms: MPR-S12; MT-RPS12; RPMS12; RPS12; RPSM12

Mammalian Cell Neomycin

Selection:

Vector: pCMV6-Entry (PS100001)

E. coli Selection: Kanamycin (25 ug/mL)

ORF Nucleotide >RC202911 ORF sequence

Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

ATGTCCTGGTCTGGCCTTCTCCATGGCCTCAACACGTCCCTAACTTGTGGCCCAGCTCTGGTTCCCCGGC
TCTGGGCTACCTGCTCCATGGCTACCCTGAACCAGATGCACCGCCTGGGGCCCCCCAAGCCGCCTCG
GAAGCTGGGCCCCACGGAAGGCCGGCCGCAGCTGAAGGGTGTGGTCCTGTGCACGTTTACCCGCAAGCCG
AAGAAGCCCAACTCAGCCAATCGCAAGTGCTGTCGAGTGCGGCTCAGCACTGGCCGCGGAGGCCGTCTGCT
TCATCCCTGGGGAGGGCCACACCCTGCAGGAGCACCAGATTGTCCTTGTGGAGGGCGGCCGCACCCAGGA
CCTGCCAGGCGTCAAGCTCACCGTTGTGCGTGGCAAGTACGACTGTGGCCACGTGCAGAAGAAG

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT

ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >RC202911 protein sequence

Red=Cloning site Green=Tags(s)

MSWSGLLHGLNTSLTCGPALVPRLWATCSMATLNQMHRLGPPKRPPRKLGPTEGRPQLKGVVLCTFTRKP KKPNSANRKCCRVRLSTGREAVCFIPGEGHTLQEHQIVLVEGGRTQDLPGVKLTVVRGKYDCGHVQKK

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Chromatograms: https://cdn.origene.com/chromatograms/mk6395 c11.zip

Restriction Sites: Sgfl-Mlul



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200


CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

ACCN: NM_033362

ORF Size: 414 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: NM 033362.4

RefSeq Size: 1116 bp
RefSeq ORF: 417 bp
Locus ID: 6183
UniProt ID: 015235



Cytogenetics: 19q13.2

Domains: Ribosomal_S12

Protein Families: Druggable Genome, Stem cell - Pluripotency


MW: 15.2 kDa

Gene Summary: Mammalian mitochondrial ribosomal proteins are encoded by nuclear genes and help in

protein synthesis within the mitochondrion. Mitochondrial ribosomes (mitoribosomes) consist of a small 28S subunit and a large 39S subunit. They have an estimated 75% protein to rRNA composition compared to prokaryotic ribosomes, where this ratio is reversed. Another difference between mammalian mitoribosomes and prokaryotic ribosomes is that the latter contain a 5S rRNA. Among different species, the proteins comprising the mitoribosome differ greatly in sequence, and sometimes in biochemical properties, which prevents easy recognition by sequence homology. This gene encodes a 28S subunit protein that belongs to the ribosomal protein S12P family. The encoded protein is a key component of the ribosomal small subunit and controls the decoding fidelity and susceptibility to aminoglycoside antibiotics. The gene for mitochondrial seryl-tRNA synthetase is located upstream and adjacent to this gene, and both genes are possible candidates for the autosomal dominant deafness gene (DFNA4). Splice variants that differ in the 5' UTR have been found for this gene; all three variants encode the same protein. [provided by RefSeq, Jul


2008]

Product images:



Circular map for RC202911





Western blot validation of overexpression lysate (Cat# [LY412080]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with [RC222489] using transfection reagent MegaTran 2.0 (Cat# [TT210002]).