

Product datasheet for RC202924L4

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Nuclear Factor Erythroid Derived 2 (NFE2) (NM_006163) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Nuclear Factor Erythroid Derived 2 (NFE2) (NM_006163) Human Tagged Lenti ORF Clone

Tag: mGFP

Symbol: Nuclear Factor Erythroid Derived 2

Synonyms: NF-E2; p45

Mammalian Cell Puromycin

Selection:

Vector: pLenti-C-mGFP-P2A-Puro (PS100093)

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide The ORF insert of this clone is exactly the same as(RC202924).

Sequence:

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

ACCN: NM_006163

ORF Size: 1119 bp





Nuclear Factor Erythroid Derived 2 (NFE2) (NM_006163) Human Tagged Lenti ORF Clone – RC202924L4

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 006163.1</u>

RefSeq Size: 1697 bp
RefSeq ORF: 1122 bp
Locus ID: 4778

 UniProt ID:
 Q16621

 Cytogenetics:
 12q13.13

Protein Families: Transcription Factors

MW: 41.5 kDa


Gene Summary: Component of the NF-E2 complex essential for regulating erythroid and megakaryocytic

maturation and differentiation. Binds to the hypersensitive site 2 (HS2) of the beta-globin control region (LCR). This subunit (NFE2) recognizes the TCAT/C sequence of the AP-1-like core palindrome present in a number of erythroid and megakaryocytic gene promoters. Requires MAFK or other small MAF proteins for binding to the NF-E2 motif. May play a role in all aspects of hemoglobin production from globin and heme synthesis to procurement of iron.

[UniProtKB/Swiss-Prot Function]



Product images:



Circular map for RC202924L4