

# Product datasheet for RC203000L2V

### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## **OVOL2 (NM 021220) Human Tagged ORF Clone Lentiviral Particle**

#### **Product data:**

**Product Type:** Lentiviral Particles

**Product Name:** OVOL2 (NM\_021220) Human Tagged ORF Clone Lentiviral Particle

Symbol:

CHED; CHED1; CHED2; EUROIMAGE566589; PPCD1; ZNF339 Synonyms:

**Mammalian Cell** 

Selection:

None

Vector: pLenti-C-mGFP (PS100071)

mGFP Tag:

NM 021220 ACCN:

**ORF Size:** 825 bp

**ORF Nucleotide** 

The ORF insert of this clone is exactly the same as(RC203000).

Sequence:

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeq: NM 021220.2

RefSeq Size: 1555 bp RefSeq ORF: 828 bp Locus ID: 58495 **UniProt ID:** Q9BRP0 Cytogenetics: 20p11.23

**Protein Families:** 

MW: 30.4 kDa

**Transcription Factors** 





#### **Gene Summary:**

This gene encodes a member of the evolutionarily conserved ovo-like protein family. Mammalian members of this family contain a single zinc finger domain composed of a tetrad of C2H2 zinc fingers with variable N- and C-terminal extensions that contain intrinsically disordered domains. Members of this family are involved in epithelial development and differentiation. Knockout of this gene in mouse results in early embryonic lethality with phenotypes that include neurectoderm expansion, impaired vascularization, and heart anomalies. In humans, allelic variants of this gene have been associated with posterior polymorphous corneal dystrophy. [provided by RefSeq, Apr 2016]