

## **Product datasheet for RC203036**

### ALG5 (NM\_013338) Human Tagged ORF Clone

#### **Product data:**

**Product Type:** Expression Plasmids

**Product Name:** ALG5 (NM\_013338) Human Tagged ORF Clone

Tag: Myc-DDK

Symbol: ALG5

Synonyms: bA421P11.2

Mammalian Cell

Selection:

**Vector:** pCMV6-Entry (PS100001)

Neomycin


E. coli Selection: Kanamycin (25 ug/mL)

Restriction Sites: Sgfl-Mlul

**Cloning Scheme:** 

Cloning sites used for ORF Shuttling:





	ECOR V						Flag. Tag								P	'me I	rse i	
GAT	CTG	GCA	GCA	AAT	GAT	ATC	CTG	GAT	TAC	AAG	GAT	GAC	GAC	GAT	AAG	GTT	TAA	ACGGCCGGCC
D	L	A	A	N	D	I	L	D	Y	ĸ	D	D	D	D	K	v	Stop	

<sup>\*</sup> The last codon before the Stop codon of the ORF

**ACCN:** NM\_013338

ORF Size: 972 bp



**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com

#### ALG5 (NM\_013338) Human Tagged ORF Clone - RC203036

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

**RefSeq:** <u>NM 013338.5</u>

 RefSeq Size:
 1227 bp

 RefSeq ORF:
 975 bp

 Locus ID:
 29880

 UniProt ID:
 Q9Y673

 Cytogenetics:
 13q13.3

Domains:Glycos\_transf\_2Protein Families:Transmembrane

**Protein Pathways:** Metabolic pathways, N-Glycan biosynthesis

**MW:** 36.9 kDa


**Gene Summary:** This gene encodes a member of the glycosyltransferase 2 family. The encoded protein

participates in glucosylation of the oligomannose core in N-linked glycosylation of proteins. The addition of glucose residues to the oligomannose core is necessary to ensure substrate recognition, and therefore, effectual transfer of the oligomannose core to the nascent glycoproteins. Multiple transcript variants encoding different isoforms have been found for

this gene. [provided by RefSeq, Nov 2008]



# **Product images:**



Circular map for RC203036