

## Product datasheet for RC203037L1V

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## CHST11 (NM\_018413) Human Tagged ORF Clone Lentiviral Particle

**Product data:** 

Product Type: Lentiviral Particles

**Product Name:** CHST11 (NM\_018413) Human Tagged ORF Clone Lentiviral Particle

Symbol: CHST11

Synonyms: C4ST; C4ST-1; C4ST1; HSA269537; OCBMD

Mammalian Cell

Selection:

None

**Vector:** pLenti-C-Myc-DDK (PS100064)

Tag: Myc-DDK
ACCN: NM 018413

ORF Size: 1056 bp

**ORF Nucleotide** 

The ORF insert of this clone is exactly the same as(RC203037).

Sequence:

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**RefSeg:** NM 018413.2

RefSeq Size: 5768 bp
RefSeq ORF: 1059 bp
Locus ID: 50515
UniProt ID: Q9NPF2
Cytogenetics: 12q23.3

**Domains:** Sulfotransfer2

**Protein Families:** Transmembrane





## CHST11 (NM\_018413) Human Tagged ORF Clone Lentiviral Particle - RC203037L1V

**Protein Pathways:** Chondroitin sulfate biosynthesis, Sulfur metabolism

**MW:** 41.6 kDa

**Gene Summary:** The protein encoded by this gene belongs to the sulfotransferase 2 family. It is localized to

the golgi membrane, and catalyzes the transfer of sulfate to position 4 of the N-

acetylgalactosamine (GalNAc) residue of chondroitin. Chondroitin sulfate constitutes the predominant proteoglycan present in cartilage, and is distributed on the surfaces of many cells and extracellular matrices. A chromosomal translocation involving this gene and IgH, t(12;14)(q23;q32), has been reported in a patient with B-cell chronic lymphocytic leukemia. Alternatively spliced transcript variants encoding different isoforms have been found for this

gene. [provided by RefSeq, Aug 2011]