

## **Product datasheet for RC203085**

## DUSP13 (NM 016364) Human Tagged ORF Clone

**Product data:** 

**Product Type: Expression Plasmids** 

**Product Name:** DUSP13 (NM\_016364) Human Tagged ORF Clone

Tag: Myc-DDK DUSP13 Symbol:

Synonyms: BEDP; DUSP13A; DUSP13B; MDSP; SKRP4; TMDP

**Mammalian Cell** 

Selection:

Neomycin

Vector: pCMV6-Entry (PS100001) E. coli Selection: Kanamycin (25 ug/mL) **ORF Nucleotide** >RC203085 ORF sequence

Red=Cloning site Blue=ORF Green=Tags(s) Sequence:

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

ATGGACTCACTGCAGAAGCAGGACCTCCGGAGGCCCAAGATCCATGGGGCAGTCCAGGCATCTCCCTACC AGCCGCCCACATTGGCTTCGCTGCAGCGCTTGCTGTGGGTCCGTCAGGCTGCCACACTGAACCATATCGA TGAGGTCTGGCCCAGCCTCTTCCTGGGAGATGCGTACGCAGCCCGGGACAAGAGCAAGCTGATCCAGCTG GGAATCACCCACGTTGTGAATGCCGCTGCAGGCAAGTTCCAGGTGGACACAGGTGCCAAATTCTACCGTG GAATGTCCCTGGAGTACTATGGCATCGAGGCGGATGACAACCCCTTCTTCGACCTCAGTGTCTACTTTCT GCCTGTTGCTCGATACATCCGAGCTGCCCTCAGTGTTCCCCAAGGCCGCGTGCTGGTACACTGTGCCATG GGGGTAAGCCGCTCTGCCACACTTGTCCTGGCCTTCCTCATGATCTATGAGAACATGACGCTGGTAGAGG CCATCCAGACGGTGCAGGCCCACCGCAATATCTGCCCTAACTCAGGCTTCCTCCGGCAGCTCCAGGTTCT

GGACAACCGACTGGGGCGGGAGACGGGGCGGTTC

**ACGCGT**ACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT

ACAAGGATGACGACGATAAGGTTTAA

>RC203085 protein sequence **Protein Sequence:** 

Red=Cloning site Green=Tags(s)

MDSLQKQDLRRPKIHGAVQASPYQPPTLASLQRLLWVRQAATLNHIDEVWPSLFLGDAYAARDKSKLIQL GITHVVNAAAGKFQVDTGAKFYRGMSLEYYGIEADDNPFFDLSVYFLPVARYIRAALSVPQGRVLVHCAM

GVSRSATLVLAFLMIYENMTLVEAIQTVQAHRNICPNSGFLRQLQVLDNRLGRETGRF

**TRTRPL**EQKLISEEDLAANDILDYKDDDDK**V** 



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com





Chromatograms: <a href="https://cdn.origene.com/chromatograms/mk6277">https://cdn.origene.com/chromatograms/mk6277</a> h06.zip

Restriction Sites:

Sgfl-Mlul

**Cloning Scheme:** 





<sup>\*</sup> The last codon before the Stop codon of the ORF

**ACCN:** NM\_016364

ORF Size: 594 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

**RefSeg:** NM 016364.2

RefSeq Size: 923 bp
RefSeq ORF: 597 bp
Locus ID: 51207



UniProt ID: Q9UII6

Cytogenetics: 10q22.2

**Protein Families:** Druggable Genome, Phosphatase

MW: 22.2 kDa


**Gene Summary:** Members of the protein-tyrosine phosphatase superfamily cooperate with protein kinases to

regulate cell proliferation and differentiation. This superfamily is separated into two families

based on the substrate that is dephosphorylated. One family, the dual specificity


phosphatases (DSPs) acts on both phosphotyrosine and phosphoserine/threonine residues. This gene encodes different but related DSP proteins through the use of non-overlapping open reading frames, alternate splicing, and presumed different transcription promoters. Expression of the distinct proteins from this gene has been found to be tissue specific and the proteins may be involved in postnatal development of specific tissues. A protein encoded by the upstream ORF was found in skeletal muscle, whereas the encoded protein from the downstream ORF was found only in testis. In mouse, a similar pattern of expression was found. Multiple alternatively spliced transcript variants were described, but the full-length sequence of only some were determined. [provided by RefSeq, Jul 2008]


## **Product images:**



Circular map for RC203085







Western blot validation of overexpression lysate (Cat# [LY413984]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with RC203085 using transfection reagent MegaTran 2.0 (Cat# [TT210002]).

Coomassie blue staining of purified DUSP13 protein (Cat# [TP303085]). The protein was produced from HEK293T cells transfected with DUSP13 cDNA clone (Cat# RC203085) using MegaTran 2.0 (Cat# [TT210002]).