

Product datasheet for RC203174L4V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Glutathione Synthetase (GSS) (NM 000178) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: Glutathione Synthetase (GSS) (NM 000178) Human Tagged ORF Clone Lentiviral Particle

Symbol: Glutathione Synthetase

Synonyms: GSHS; HEL-S-64p; HEL-S-88n

Mammalian Cell

Selection:

Puromycin

Vector: pLenti-C-mGFP-P2A-Puro (PS100093)

Tag: mGFP

ACCN: NM_000178 **ORF Size:** 1422 bp

ORF Nucleotide

Sequence:

The ORF insert of this clone is exactly the same as(RC203174).

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This

clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeq: <u>NM 000178.2</u>

 RefSeq Size:
 1918 bp

 RefSeq ORF:
 1425 bp

 Locus ID:
 2937

 UniProt ID:
 P48637

 Cytogenetics:
 20q11.22

Domains: GSH_synthase, GSH_synth_ATP

Protein Families: Druggable Genome





Glutathione Synthetase (GSS) (NM_000178) Human Tagged ORF Clone Lentiviral Particle – RC203174L4V

Protein Pathways: Glutathione metabolism, Metabolic pathways

MW: 52.4 kDa

Gene Summary: Glutathione is important for a variety of biological functions, including protection of cells

from oxidative damage by free radicals, detoxification of xenobiotics, and membrane transport. The protein encoded by this gene functions as a homodimer to catalyze the second step of glutathione biosynthesis, which is the ATP-dependent conversion of gamma-L-glutamyl-L-cysteine to glutathione. Defects in this gene are a cause of glutathione synthetase

deficiency. [provided by RefSeq, Jul 2008]