

Product datasheet for RC203330L4

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Peroxiredoxin 4 (PRDX4) (NM_006406) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Peroxiredoxin 4 (PRDX4) (NM_006406) Human Tagged Lenti ORF Clone

Tag: mGFF

Symbol: Peroxiredoxin 4

Synonyms: AOE37-2; AOE372; HEL-S-97n; PRX-4

Mammalian Cell

Selection:

Puromycin

Vector: pLenti-C-mGFP-P2A-Puro (PS100093)

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide

The ORF insert of this clone is exactly the same as(RC203330).

Sequence:

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

ACCN: NM_006406

ORF Size: 813 bp





Peroxiredoxin 4 (PRDX4) (NM_006406) Human Tagged Lenti ORF Clone - RC203330L4

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 006406.1</u>

 RefSeq Size:
 921 bp

 RefSeq ORF:
 816 bp

 Locus ID:
 10549

 UniProt ID:
 Q13162

 Cytogenetics:
 Xp22.11

Domains: AhpC-TSA

Protein Families: Druggable Genome

MW: 30.5 kDa


Gene Summary: The protein encoded by this gene is an antioxidant enzyme and belongs to the peroxiredoxin

family. The protein is localized to the cytoplasm. Peroxidases of the peroxiredoxin family reduce hydrogen peroxide and alkyl hydroperoxides to water and alcohol with the use of reducing equivalents derived from thiol-containing donor molecules. This protein has been found to play a regulatory role in the activation of the transcription factor NF-kappaB.


[provided by RefSeg, Jul 2008]



Product images:



Circular map for RC203330L4



Double digestion of RC203330L4 using Sgfl and Mlul $\,$