

Product datasheet for RC203396L1

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

OriGene Technologies, Inc.

OSBPL9 (NM_148904) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: OSBPL9 (NM_148904) Human Tagged Lenti ORF Clone

Tag: Myc-DDK
Symbol: OSBPL9

Synonyms: ORP-9; ORP9

Mammalian Cell None

Selection:

Vector:pLenti-C-Myc-DDK (PS100064)E. coli Selection:Chloramphenicol (34 ug/mL)

ORF Nucleotide The ORF insert of this clone is exactly the same as(RC203396).

Sequence:

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF.

ACCN: NM_148904

ORF Size: 1674 bp





OSBPL9 (NM_148904) Human Tagged Lenti ORF Clone - RC203396L1

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 148904.2</u>

 RefSeq Size:
 2847 bp

 RefSeq ORF:
 1677 bp

 Locus ID:
 114883

 UniProt ID:
 Q96SU4

 Cytogenetics:
 1p32.3

Domains: Oxysterol BP

MW: 62.3 kDa


Gene Summary: This gene encodes a member of the oxysterol-binding protein (OSBP) family, a group of

intracellular lipid receptors. Most members contain an N-terminal pleckstrin homology domain and a highly conserved C-terminal OSBP-like sterol-binding domain, although some members contain only the sterol-binding domain. This family member functions as a cholesterol transfer protein that regulates Golgi structure and function. Multiple transcript variants, most of which encode distinct isoforms, have been identified. Related pseudogenes

have been identified on chromosomes 3, 11 and 12. [provided by RefSeq, Jul 2010]



Product images:



Circular map for RC203396L1