

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## Product datasheet for RC203396L2V

## OSBPL9 (NM\_148904) Human Tagged ORF Clone Lentiviral Particle

## **Product data:**

Product Type:	Lentiviral Particles
Product Name:	OSBPL9 (NM_148904) Human Tagged ORF Clone Lentiviral Particle
Symbol:	OSBPL9
Synonyms:	ORP-9; ORP9
Mammalian Cell Selection:	None
Vector:	pLenti-C-mGFP (PS100071)
Tag:	mGFP
ACCN:	NM_148904
ORF Size:	1674 bp
ORF Nucleotide Sequence:	The ORF insert of this clone is exactly the same as(RC203396).
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
RefSeq:	<u>NM 148904.2</u>
RefSeq Size:	2847 bp
RefSeq ORF:	1677 bp
Locus ID:	114883
UniProt ID:	<u>Q96SU4</u>
Cytogenetics:	1p32.3
Domains:	Oxysterol_BP
MW:	62.3 kDa



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US



Gene Summary:This gene encodes a member of the oxysterol-binding protein (OSBP) family, a group of<br/>intracellular lipid receptors. Most members contain an N-terminal pleckstrin homology<br/>domain and a highly conserved C-terminal OSBP-like sterol-binding domain, although some<br/>members contain only the sterol-binding domain. This family member functions as a<br/>cholesterol transfer protein that regulates Golgi structure and function. Multiple transcript<br/>variants, most of which encode distinct isoforms, have been identified. Related pseudogenes<br/>have been identified on chromosomes 3, 11 and 12. [provided by RefSeq, Jul 2010]

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US