

Product datasheet for **RC203397**

Lin28 (LIN28A) (NM_024674) Human Tagged ORF Clone

Product data:

Product Type: Expression Plasmids
Tag: Myc-DDK
Symbol: Lin28
Synonyms: CSDD1; LIN-28; lin-28A; LIN28; ZCCHC1
Mammalian Cell Selection: Neomycin
Vector: pCMV6-Entry (PS100001)
E. coli Selection: Kanamycin (25 ug/mL)
ORF Nucleotide Sequence: >RC203397 ORF sequence
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCCGCC**CGCATCGCC**

ATGGGCTCCGTGTCCAACCAGCAGTTTGCAGGTGGCTGCGCCAAGGCGGCAGAAAGAGGCGCCGAGGAGG
 CGCCGGAGGACGCGGCCCGGGCGGCGGACGAGCCTCAGCTGCTGCACGGTGCAGGCGATCTGTAAGTGTT
 CAACGTGCGCATGGGGTTCGGCTTCCTGTCCATGACCGCCCGCGGGGTCGCGCTCGACCCCCCAGTG
 GATGTCTTTGTGACACAGAGTAAGCTGCACATGGAAGGGTTCGGAGCTTGAAGGAGGGTGAGGCAGTGG
 AGTTCACCTTTAAGAAGTCAGCAAGGGTCTGGAATCCATCCGTGTACCGGACCTGGTGGAGTATTCTG
 TATTGGGAGTGAGAGGCGGCCAAAAGGAAAGAGCATGCAGAAGCGCAGATCAAAAGGAGACAGGTGCTAC
 AACTGTGGAGGTCTAGATCATCATGCCAAGGAATGCAAGCTGCCACCCAGCCCAAGAAGTGCCACTTCT
 GCCAGAGCATCAGCCATATGGTAGCCTCATGTCCGCTGAAGGCCAGCAGGGCCCTAGTGACAGGGAAA
 GCCAACCTACTTTCGAGAGGAAGAAGAAGAAATCCACAGCCCTACCCTGCTCCCGAGGCACAGAAT

A**CGCGT**ACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
 ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >RC203397 protein sequence
 Red=Cloning site Green=Tags(s)

MGSVSNQQFAGGCAKAAEEAPEEAPEDAARAADPEQLLHGAGICKWFNVRMGFGFLSMTARAGVALDPPV
 DVFVHQSKLHMEGFRSLKEGEAVEFTFKKSAKGLSIRVTGPGGVFCIGSERRPKGKSMQKRKSGDRCY
 NCGGLDHHAKECKLPPQPKKCHFCQSISHMVASCPLKAQQGPSAQGKPTYFREEEEEIHSPTLLPEAQN

TRTRPLEQKLISEEDLAANDILDYKDDDDKV


Chromatograms: https://cdn.origene.com/chromatograms/mk6065_d12.zip



View online »

Restriction Sites: Sgfl-MluI

Cloning Scheme:



ACCN: NM_024674

ORF Size: 627 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

Note: Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um filter is required.


RefSeq: [NM_024674.6](#)

RefSeq Size: 4014 bp


RefSeq ORF: 630 bp

Locus ID:	79727
UniProt ID:	Q9H9Z2
Cytogenetics:	1p36.11
Protein Families:	Transcription Factors
MW:	22.7 kDa
Gene Summary:	This gene encodes a LIN-28 family RNA-binding protein that acts as a posttranscriptional regulator of genes involved in developmental timing and self-renewal in embryonic stem cells. The encoded protein functions through direct interaction with target mRNAs and by disrupting the maturation of certain miRNAs involved in embryonic development. This protein prevents the terminal processing of the LET7 family of microRNAs which are major regulators of cellular growth and differentiation. Aberrant expression of this gene is associated with cancer progression in multiple tissues. [provided by RefSeq, Sep 2015]


Product images:




Circular map for RC203397



HEK293T cells were transfected with the pCMV6-ENTRY control (Cat# [PS100001], Left lane) or pCMV6-ENTRY LIN28A (Cat# RC203397, Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-LIN28(Cat# [TA590856]). Positive lysates [LY411135] (100ug) and [LC411135] (20ug) can be purchased separately from OriGene.



Western blot validation of overexpression lysate (Cat# [LY411135]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with RC203397 using transfection reagent MegaTran 2.0 (Cat# [TT210002]).



Coomassie blue staining of purified LIN28A protein (Cat# [TP303397]). The protein was produced from HEK293T cells transfected with LIN28A cDNA clone (Cat# RC203397) using MegaTran 2.0 (Cat# [TT210002]).