

Product datasheet for RC203431L4

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

PVRL4 (NECTIN4) (NM_030916) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: PVRL4 (NECTIN4) (NM_030916) Human Tagged Lenti ORF Clone

Tag: mGFP Symbol: PVRL4

Synonyms: EDSS1; LNIR; nectin-4; PRR4; PVRL4

Mammalian Cell Puromycin

Selection:

Vector: pLenti-C-mGFP-P2A-Puro (PS100093)

Sgfl-Mlul

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide The ORF insert of this clone is exactly the same as(RC203431).

Sequence:

Restriction Sites: Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

ACCN: NM_030916

ORF Size: 1530 bp





PVRL4 (NECTIN4) (NM_030916) Human Tagged Lenti ORF Clone - RC203431L4

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 030916.1</u>

 RefSeq Size:
 3520 bp

 RefSeq ORF:
 1533 bp

 Locus ID:
 81607

 UniProt ID:
 Q96NY8

 Cytogenetics:
 1q23.3

Domains: ig, IGc2, IG

Protein Families: Druggable Genome, Transmembrane

Protein Pathways: Adherens junction

MW: 55.5 kDa


Gene Summary: This gene encodes a member of the nectin family. The encoded protein contains two

immunoglobulin-like (Ig-like) C2-type domains and one Ig-like V-type domain. It is involved in cell adhesion through trans-homophilic and -heterophilic interactions. It is a single-pass type I membrane protein. The soluble form is produced by proteolytic cleavage at the cell surface by the metalloproteinase ADAM17/TACE. The secreted form is found in both breast tumor cell lines and breast tumor patients. Mutations in this gene are the cause of ectodermal dysplasia-syndactyly syndrome type 1, an autosomal recessive disorder. Alternatively spliced transcript variants have been found but the full-length nature of the variant has not been determined.


[provided by RefSeq, Jan 2011]



Product images:



Circular map for RC203431L4



Double digestion of RC203431L4 using Sgfl and Mlul