

## Product datasheet for RC203506L2V

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## ERK5 (MAPK7) (NM\_002749) Human Tagged ORF Clone Lentiviral Particle

**Product data:** 

**Product Type:** Lentiviral Particles

**Product Name:** ERK5 (MAPK7) (NM\_002749) Human Tagged ORF Clone Lentiviral Particle

Symbol: ERK5

**Synonyms:** BMK1; ERK4; ERK5; PRKM7

Mammalian Cell

Selection:

None

**Vector:** pLenti-C-mGFP (PS100071)

Tag: mGFP

**ACCN:** NM\_002749 **ORF Size:** 2448 bp

**ORF Nucleotide** 

OTI Disclaimer:

- -

Sequence:

The ORF insert of this clone is exactly the same as(RC203506).

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**RefSeg:** NM 002749.2

RefSeq Size: 2972 bp
RefSeq ORF: 2451 bp
Locus ID: 5598
UniProt ID: Q13164
Cytogenetics: 17p11.2

**Domains:** pkinase, TyrKc, S\_TKc

**Protein Families:** Druggable Genome, Protein Kinase





## ERK5 (MAPK7) (NM\_002749) Human Tagged ORF Clone Lentiviral Particle - RC203506L2V

**Protein Pathways:** Gap junction, GnRH signaling pathway, MAPK signaling pathway, Neurotrophin signaling

pathway

MW: 88.4 kDa

**Gene Summary:** The protein encoded by this gene is a member of the MAP kinase family. MAP kinases act as

an integration point for multiple biochemical signals, and are involved in a wide variety of cellular processes such as proliferation, differentiation, transcription regulation and development. This kinase is specifically activated by mitogen-activated protein kinase kinase 5

(MAP2K5/MEK5). It is involved in the downstream signaling processes of various receptor molecules including receptor type kinases, and G protein-coupled receptors. In response to

extracelluar signals, this kinase translocates to cell nucleus, where it regulates gene expression by phosphorylating, and activating different transcription factors. Four

alternatively spliced transcript variants of this gene encoding two distinct isoforms have been

reported. [provided by RefSeq, Jul 2008]