

## Product datasheet for RC203666

### HNRNPA0 (NM\_006805) Human Tagged ORF Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	HNRNPA0 (NM_006805) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	HNRNPA0
Synonyms:	HNRPA0
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
ORF Nucleotide Sequence:	>RC203666 ORF sequence Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
GCC**CGATCGCC**

ATGGAGAATTCTCAGTTGTGAAGCTGTTTCATCGGCGGCCTCAATGTGCAGACGAGTGAGTCGGGCCTGC  
GCGGCCACTTTGAGGCCTTTGGGACTCTGACGGACTGCGTGGTGGTGAATCCCCAGACCAAGCGCTC  
CCGTTGCTTTGGCTTCGTGACCTACTCCAATGTGGAGGAGGCGGACGCCCATGGCCGCTCGCCCCAT  
GCCGTGGACGGCAACACTGTGGAGCTGAAGCGGGCGGTGTCCCGGAGGATTCGGCGCGGCCGGTGCC  
ACGCCAAGGTTAAGAAGCTCTTTGTCGGAGGCCCTAAAGGAGACGTGGCTGAGGGCGACCTGATCGAGCA  
TTCTCGCAGTTTGGCACCGTGGAAAAGGCCGAGATTATTGCCGACAAGCAGTCCGCAAGAAGCGTGGA  
TTCGGCTTCGTGTATTTCCAGAATCACGACGCGGCAGACAAGGCCGCGGTGGTCAAGTTCATCCGATTC  
AGGGCCATCGCGTGGAGGTGAAGAAAGCAGTCCCCAAGGAGGATATCTACTCCGGTGGGGTGGAGGCGG  
CTCCCGATCCTCCCGGGCGGCCGAGGCCGCGGGGGCGCGCGGTGGTTCGAGACCAGAACGGCCTTTCC  
AAGGGCGGCGGCGCGGTTACAACAGCTACGGTGGTTACGGCGGCGGCGGAGGCGGCGGCTACAATGCCT  
ACGGAGGCGGCGGCGGCTTCGTCTACGGTGGGAGCGACTACGGTAACGGCTTCGGCGGCTTCGGCAG  
CTACAGCCAGCATCAGTCCTCTATGGGCCATGAAGAGCGGCGGCGGCGGCGGCGGTGGAGGCAGTAGC  
TGGGGCGGTCGCAGTAATAGTGGACCTACAGAGGCGGCTATGGCGGTGGGGTGGCTATGGAGGCAGCT  
CCTTC

**ACGCGT**ACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT  
ACAAGGATGACGACGATAAGGTTTAA



[View online »](#)

**Protein Sequence:** >RC203666 protein sequence  
Red=Cloning site Green=Tags(s)

MENSQLCKLFIGGLNVQTSSEGLRGHFEAFGTLTDCVVVNPQTKRSRCFGFVTYSNVVEADAAMAASPH  
 AVDGNTVELKRAVSREDSARPGAHAKVKKLFVGGGLKGDVAEGDLIEHFSQFGTVEKAEIIADKQSGKKRG  
 FGFVYFQNHDAADKAAVVKFHPIQGHRVEVKKAVPKEDIYSGGGGGSRSSRGGRRGRGGGRDQNGLS  
 KGGGGYNSYGGYGGGGGGYNA YGGGGGSSYGGSDYGNFGGFGSYSQHSSYGPMKSGGGGGGGSS  
 WGGRSNSGYPYRGGYGGGGYGGSSF


TRTRPLEQKLISEEDLAANDILDYKDDDDKV

**Chromatograms:** [https://cdn.origene.com/chromatograms/mk6423\\_a11.zip](https://cdn.origene.com/chromatograms/mk6423_a11.zip)

**Restriction Sites:** SgfI-MluI

**Cloning Scheme:**

Cloning sites used for ORF Shuttling:



\* The last codon before the Stop codon of the ORF

**ACCN:** NM\_006805

**ORF Size:** 915 bp

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:**

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

**RefSeq:** [NM\\_006805.4](#)

**RefSeq Size:** 2983 bp

**RefSeq ORF:** 918 bp

**Locus ID:** 10949

**UniProt ID:** [Q13151](#)


**Cytogenetics:** 5q31.2

**Domains:** RRM


**MW:** 30.8 kDa

**Gene Summary:** This gene belongs to the A/B subfamily of ubiquitously expressed heterogeneous nuclear ribonucleoproteins (hnRNPs). The hnRNPs are RNA binding proteins and they complex with heterogeneous nuclear RNA (hnRNA). These proteins are associated with pre-mRNAs in the nucleus and appear to influence pre-mRNA processing and other aspects of mRNA metabolism and transport. While all of the hnRNPs are present in the nucleus, some seem to shuttle between the nucleus and the cytoplasm. The hnRNP proteins have distinct nucleic acid binding properties. The protein encoded by this gene has two repeats of quasi-RRM domains that bind RNAs, followed by a glycine-rich C-terminus. [provided by RefSeq, Jul 2008]


### Product images:




Circular map for RC203666



HEK293T cells were transfected with the pCMV6-ENTRY control (Cat# [PS100001], Left lane) or pCMV6-ENTRY HNRNPA0 (Cat# RC203666, Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-HNRNPA0 (Cat# [TA809308])(1:2000). Positive lysates [LY416409] (100ug) and [LC416409] (20ug) can be purchased separately from OriGene.



Western blot validation of overexpression lysate (Cat# [LY416409]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with RC203666 using transfection reagent MegaTran 2.0 (Cat# [TT210002]).



Coomassie blue staining of purified HNRNPA0 protein (Cat# [TP303666]). The protein was produced from HEK293T cells transfected with HNRNPA0 cDNA clone (Cat# RC203666) using MegaTran 2.0 (Cat# [TT210002]).