

Product datasheet for RC203671L3

CHTF18 (NM_022092) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Tag: Myc-DDK

Symbol: CHTF18

Synonyms: C16orf41; C321D2.2; C321D2.3; C321D2.4; CHL12; Ctf18; RUVBL

Mammalian Cell Puromycin

Selection:


Vector: pLenti-C-Myc-DDK-P2A-Puro (PS100092)

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide Sequence: The ORF insert of this clone is exactly the same as(RC203671).

Restriction Sites: Sgfl-Rsrll

Cloning Scheme:



			Kozak Consens	
Eco	oR I Bar	nHI RBS	S Sgj	f/ ORF
CTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCCGCCGCGATCGC C ATG				
	Rsr II Mlu I	Not I	_ <i>Xho I</i> My	rc.Tag
				CTC ATC TCA GAA GAG
s	GPTF	RTRP	L E Q K	L I S E E
DDK.Tag				
GAT CTG GCA GCA AAT GAT ATC CTG GAT TAC AAG GAT GAC GAT AAG GTT TGGGTAGGAAG				
D L A A N	D I L <u>D</u>	Y K D D D	D K V	

st The last codon before the Stop codon of the ORF.

ACCN: NM_022092

ORF Size: 2925 bp



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com

EU: info-de@origene.com CN: techsupport@origene.cn

CHTF18 (NM_022092) Human Tagged Lenti ORF Clone | RC203671L3

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

Note: Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um

filter is required.

RefSeq: <u>NM_022092.1</u>, <u>NP_071375.1</u>

RefSeq Size: 3096 bp

RefSeq ORF: 2928 bp

Locus ID: 63922

UniProt ID: Q8WVB6

Cytogenetics: 16p13.3

MW: 107.4 kDa


Gene Summary: This gene encodes a protein which is a component of a replication factor C (RFC) complex,

which loads proliferating cell nuclear antigen (PCNA) on to DNA during the S phase of cell cycle. The encoded protein may interact with other proteins, including RFC complex 3, to form a clamp loader complex that plays a role in sister chromatid cohesion during metaphase-

anaphase transition. [provided by RefSeq, Jan 2016]



Product images:



Circular map for RC203671L3