

## Product datasheet for RC203741L3V

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## LTA (NM\_000595) Human Tagged ORF Clone Lentiviral Particle

**Product data:** 

Product Type: Lentiviral Particles

**Product Name:** LTA (NM\_000595) Human Tagged ORF Clone Lentiviral Particle

Symbol: LTA

Synonyms: LT; TNFB; TNFSF1; TNLG1E

Mammalian Cell

Selection:

Puromycin

**Vector:** pLenti-C-Myc-DDK-P2A-Puro (PS100092)

Tag: Myc-DDK

**ACCN:** NM\_000595

ORF Size: 615 bp

**ORF Nucleotide** 

The ORF insert of this clone is exactly the same as(RC203741).

Sequence:
OTI Disclaimer:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**RefSeg:** NM 000595.1

 RefSeq Size:
 1423 bp

 RefSeq ORF:
 618 bp

 Locus ID:
 4049

 UniProt ID:
 P01374

 Cytogenetics:
 6p21.33

**Protein Families:** Druggable Genome, Secreted Protein, Transmembrane





## LTA (NM\_000595) Human Tagged ORF Clone Lentiviral Particle - RC203741L3V

**Protein Pathways:** Antigen processing and presentation, Cytokine-cytokine receptor interaction, Type I diabetes

mellitus

MW: 22.3 kDa

**Gene Summary:** The encoded protein, a member of the tumor necrosis factor family, is a cytokine produced

by lymphocytes. The protein is highly inducible, secreted, and forms heterotrimers with lymphotoxin-beta which anchor lymphotoxin-alpha to the cell surface. This protein also mediates a large variety of inflammatory, immunostimulatory, and antiviral responses, is involved in the formation of secondary lymphoid organs during development and plays a role in apoptosis. Genetic variations in this gene are associated with susceptibility to leprosy type 4, myocardial infarction, non-Hodgkin's lymphoma, and psoriatic arthritis. Alternatively spliced transcript variants have been observed for this gene. [provided by RefSeq, Jul 2012]