

Product datasheet for RC203766L1

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Lipoprotein lipase (LPL) (NM_000237) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Lipoprotein lipase (LPL) (NM_000237) Human Tagged Lenti ORF Clone

Tag: Myc-DDK

Symbol: Lipoprotein lipase

Synonyms: HDLCQ11; LIPD

Mammalian Cell

Selection:

Vector:pLenti-C-Myc-DDK (PS100064)E. coli Selection:Chloramphenicol (34 ug/mL)

None


ORF Nucleotide The ORF insert of this clone is exactly the same as(RC203766).

Sequence:

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF.

ACCN: NM_000237

ORF Size: 1425 bp





Lipoprotein lipase (LPL) (NM_000237) Human Tagged Lenti ORF Clone - RC203766L1

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 000237.2</u>

 RefSeq Size:
 3747 bp

 RefSeq ORF:
 1428 bp

 Locus ID:
 4023

 UniProt ID:
 P06858

Cytogenetics: 8p21.3

Domains: lipase, PLAT

Protein Families: Druggable Genome

Protein Pathways: Alzheimer's disease, Glycerolipid metabolism, PPAR signaling pathway

MW: 53.2 kDa

Gene Summary: LPL encodes lipoprotein lipase, which is expressed in heart, muscle, and adipose tissue. LPL


functions as a homodimer, and has the dual functions of triglyceride hydrolase and

ligand/bridging factor for receptor-mediated lipoprotein uptake. Severe mutations that cause LPL deficiency result in type I hyperlipoproteinemia, while less extreme mutations in LPL are


linked to many disorders of lipoprotein metabolism. [provided by RefSeq, Jul 2008]



Product images:



Circular map for RC203766L1



Double digestion of RC203766L1 using Sgfl and Mlul $\,$