

## Product datasheet for RC203781L3V

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## TrkC (NTRK3) (NM\_001007156) Human Tagged ORF Clone Lentiviral Particle

**Product data:** 

**Product Type:** Lentiviral Particles

Product Name: TrkC (NTRK3) (NM\_001007156) Human Tagged ORF Clone Lentiviral Particle

Symbol: NTRK3

**Synonyms:** gp145(trkC); GP145-TrkC; TRKC

Mammalian Cell

Selection:

Puromycin

**Vector:** pLenti-C-Myc-DDK-P2A-Puro (PS100092)

Tag: Myc-DDK

**ACCN:** NM\_001007156

ORF Size: 1836 bp

**ORF Nucleotide** 

The ORF insert of this clone is exactly the same as(RC203781).

Sequence:

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through

naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**RefSeg:** NM 001007156.1

RefSeq Size:4141 bpRefSeq ORF:1839 bpLocus ID:4916

**Cytogenetics:** 15q25.3

**Protein Families:** Druggable Genome, Protein Kinase, Transmembrane

**Protein Pathways:** Neurotrophin signaling pathway

**MW:** 68.5 kDa







## **Gene Summary:**

This gene encodes a member of the neurotrophic tyrosine receptor kinase (NTRK) family. This kinase is a membrane-bound receptor that, upon neurotrophin binding, phosphorylates itself and members of the MAPK pathway. Signalling through this kinase leads to cell differentiation and may play a role in the development of proprioceptive neurons that sense body position. Mutations in this gene have been associated with medulloblastomas, secretory breast carcinomas and other cancers. Several transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Jul 2011]