

Product datasheet for RC203810L1

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

OB Cadherin (CDH11) (NM_001797) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: OB Cadherin (CDH11) (NM_001797) Human Tagged Lenti ORF Clone

Tag: Myc-DDK

Symbol: OB Cadherin

Synonyms: CAD11; CDHOB; ESWS; OB; OSF-4

Mammalian Cell None

Selection:

Vector:pLenti-C-Myc-DDK (PS100064)E. coli Selection:Chloramphenicol (34 ug/mL)

ORF Nucleotide The ORF insert of this clone is exactly the same as(RC203810).

Sequence:

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

ACCN: NM_001797

ORF Size: 2388 bp





OB Cadherin (CDH11) (NM_001797) Human Tagged Lenti ORF Clone - RC203810L1

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 001797.2</u>

RefSeq Size: 3654 bp
RefSeq ORF: 2391 bp
Locus ID: 1009

UniProt ID: P55287

Cytogenetics: 16q21

Domains: Cadherin C term, CA

Protein Families: Druggable Genome, Transmembrane

MW: 88 kDa


Gene Summary: This gene encodes a type II classical cadherin from the cadherin superfamily, integral

membrane proteins that mediate calcium-dependent cell-cell adhesion. Mature cadherin proteins are composed of a large N-terminal extracellular domain, a single membrane-spanning domain, and a small, highly conserved C-terminal cytoplasmic domain. Type II (atypical) cadherins are defined based on their lack of a HAV cell adhesion recognition sequence specific to type I cadherins. Expression of this particular cadherin in osteoblastic cell lines, and its upregulation during differentiation, suggests a specific function in bone


development and maintenance. [provided by RefSeq, Jul 2008]



Product images:



Circular map for RC203810L1



Double digestion of RC203810L1 using Sgfl and Mlul $\,$