

Product datasheet for RC203841

Nucleophosmin (NPM1) (NM_199185) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Nucleophosmin (NPM1) (NM_199185) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	Nucleophosmin
Synonyms:	B23; NPM
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
ORF Nucleotide Sequence:	>RC203841 ORF sequence Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGGATCGCC**

ATGGAAGATTCGATGGACATGGACATGAGCCCCCTGAGGCCCCAGAACTATCTTTTCGGTTGTGAACTAA
AGGCCGACAAAGATTCACTTTAAGGTGGATAATGATGAAAATGAGCACCAGTTATCTTTAAGAACGGT
CAGTTTAGGGCTGGTGCAAAGGATGAGTTGCACATTGTTGAAGCAGAGGCAATGAATTACGAAGGCAGT
CCAATTAAGTAACTGGCAACTTTGAAAATGTCTGTACAGCCAACGGTTTCCCTTGGGGCTTTGAAA
TAACACCACCAGTGGTCTTAAGGTTGAAGTGTGGTTCAGGGCCAGTGCATATTAGTGGACAGCAGCTTAGT
AGCTGTGGAGGAAGATGCAGAGTCAGAAGATGAAGAGGAGGAGGATGTGAACTCTTAAGTATATCTGGA
AAGCGTCTGCCCTGGAGGTGGTAGCAAGGTTCCACAGAAAAAGTAAAACTTGTCTGCTGATGAAGATG
ATGACGATGATGATGAAGAGGATGATGATGAAGATGATGATGATGATGATTTTTGATGATGAGGAAGCTGA
AGAAAAAGCGCCAGTGAAGAAAGACAAGAATCCTTCAAGAAACAGGAAAAACTCTAAAAACAAAA
GGACCTAGTTCTGTAGAAGACATTAAGCAAAAATGCAAGCAAGTATAGAAAAAGGTGGTTCTCTCCCA
AAGTGGAAAGCCAAATTCATCAATTATGTGAAGAATTGCTCCGGATGACTGACCAAGAGGCTATTCAAGA
TCTCTGGCAGTGGAGGAAGTCTCTT

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCTGGATT
ACAAGGATGACGACGATAAGGTTTAA



[View online »](#)

Protein Sequence: >RC203841 protein sequence
Red=Cloning site Green=Tags(s)

MEDSMDMDMSPLRPQNYLFGCELKADKDYHFKVDNENEHQLSLRTVSLGAGAKDELHIVEAEAMNYEGS
 PIKVTLATLKMSVQPTVSLGGFEITPPVVLRLKCGSGPVHISGQHLVAVEEDAEESEDEEEEDVKLLSISG
 KRSAPGGGSKVPQKKVKLAADEDDEDDDEDDDDDFDDEEAEEKAPVKKGQESFKKQEKTPKTPK
 GPSSVEDIKAKMQASIEKGGSLPKVEAKFINYVKNCFRMTDQEAIQDLWQWRKSL

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Chromatograms: https://cdn.origene.com/chromatograms/mk6308_f07.zip

Restriction Sites: SgfI-MluI

Cloning Scheme:

Cloning sites used for ORF Shuttling:



* The last codon before the Stop codon of the ORF

ACCN: NM_199185

ORF Size: 795 bp


OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.


Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
Note:	Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um filter is required.
RefSeq:	NM_199185.3
RefSeq Size:	1362 bp
RefSeq ORF:	798 bp
Locus ID:	4869
UniProt ID:	P06748
Cytogenetics:	5q35.1
Protein Families:	Druggable Genome, Stem cell - Pluripotency, Transcription Factors
MW:	29.5 kDa
Gene Summary:	The protein encoded by this gene is involved in several cellular processes, including centrosome duplication, protein chaperoning, and cell proliferation. The encoded phosphoprotein shuttles between the nucleolus, nucleus, and cytoplasm, chaperoning ribosomal proteins and core histones from the nucleus to the cytoplasm. This protein is also known to sequester the tumor suppressor ARF in the nucleolus, protecting it from degradation until it is needed. Mutations in this gene are associated with acute myeloid leukemia. Dozens of pseudogenes of this gene have been identified. [provided by RefSeq, Aug 2017]


Product images:



Circular map for RC203841



Western blot validation of overexpression lysate (Cat# [LY404681]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with RC203841 using transfection reagent MegaTran 2.0 (Cat# [TT210002]).



Coomassie blue staining of purified NPM1 protein (Cat# [TP303841]). The protein was produced from HEK293T cells transfected with NPM1 cDNA clone (Cat# RC203841) using MegaTran 2.0 (Cat# [TT210002]).