

## Product datasheet for RC203849L3V

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## **GALNTL2 (GALNT15) (NM 054110) Human Tagged ORF Clone Lentiviral Particle**

**Product data:** 

**Product Type:** Lentiviral Particles

Product Name: GALNTL2 (GALNT15) (NM 054110) Human Tagged ORF Clone Lentiviral Particle

Symbol: GALNTL2

Synonyms: GALNACT15; GALNT7; GALNT13; GALNTL2; PIH5; pp-GalNAc-T15

Mammalian Cell

Selection:

Puromycin

**Vector:** pLenti-C-Myc-DDK-P2A-Puro (PS100092)

 Tag:
 Myc-DDK

 ACCN:
 NM\_054110

 ORF Size:
 1917 bp

**ORF Nucleotide** 

Sequence:

The ORF insert of this clone is exactly the same as(RC203849).

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through

naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**RefSeg:** NM 054110.2

 RefSeq Size:
 4641 bp

 RefSeq ORF:
 1920 bp

 Locus ID:
 117248

 UniProt ID:
 Q8N3T1

 Cytogenetics:
 3p25.1

**Domains:** RICIN, Glycos\_transf\_2

**Protein Families:** Transmembrane





## GALNTL2 (GALNT15) (NM\_054110) Human Tagged ORF Clone Lentiviral Particle - RC203849L3V

**Protein Pathways:** Metabolic pathways, O-Glycan biosynthesis

MW: 73.1 kDa

Gene Summary: Catalyzes the initial reaction in O-linked oligosaccharide biosynthesis, the transfer of an N-

acetyl-D-galactosamine residue to a serine or threonine residue on the protein receptor. Although it displays a much weaker activity toward all substrates tested compared to

GALNT2, it is able to transfer up to seven GalNAc residues to the Muc5AC peptide, suggesting that it can fill vicinal Thr/Ser residues in cooperation with other GALNT proteins. Prefers

Muc1a as substrate.[UniProtKB/Swiss-Prot Function]