

Product datasheet for RC203878L4

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com

OriGene Technologies, Inc.

EU: info-de@origene.com CN: techsupport@origene.cn

SLC25A6 (NM_001636) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: SLC25A6 (NM_001636) Human Tagged Lenti ORF Clone

Tag: mGFP

Symbol: SLC25A6

Synonyms: AAC3; ANT 2; ANT 3; ANT3; ANT3Y

Mammalian Cell Puromycin

Selection:

Vector: pLenti-C-mGFP-P2A-Puro (PS100093)

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide The ORF insert of this clone is exactly the same as(RC203878).

Sgfl-Mlul

Sequence:

Restriction Sites:

Cloning Scheme:

Cloning sites used for ORF Shuttling:





^{*} The last codon before the Stop codon of the ORF

ACCN: NM_001636

ORF Size: 894 bp





OTI Disclaimer:

Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at customport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info

OTI Annotation:

This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components:

The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

- 1. Centrifuge at 5,000xg for 5min.
- 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
- 3. Close the tube and incubate for 10 minutes at room temperature.
- 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
- 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: NM 001636.1, NP 001627.1

 RefSeq Size:
 1502 bp

 RefSeq ORF:
 897 bp

 Locus ID:
 293

 UniProt ID:
 P12236

Cytogenetics: X;Y

Protein Families: Druggable Genome, Transmembrane

Protein Pathways: Calcium signaling pathway, Huntington's disease, Parkinson's disease


MW: 32.9 kDa

Gene Summary: This gene is a member of the mitochondrial carrier subfamily of solute carrier protein genes.

The product of this gene functions as a gated pore that translocates ADP from the cytoplasm into the mitochondrial matrix and ATP from the mitochondrial matrix into the cytoplasm. The protein is implicated in the function of the permability transition pore complex (PTPC), which regulates the release of mitochondrial products that induce apoptosis. The human genome contains several non-transcribed pseudogenes of this gene. [provided by RefSeq, Jun 2013]



Product images:



Circular map for RC203878L4