

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product datasheet for RC203889L4V

RPS14 (NM_001025070) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type:	Lentiviral Particles
Product Name:	RPS14 (NM_001025070) Human Tagged ORF Clone Lentiviral Particle
Symbol:	RPS14
Synonyms:	EMTB; S14
Mammalian Cell Selection:	Puromycin
Vector:	pLenti-C-mGFP-P2A-Puro (PS100093)
Tag:	mGFP
ACCN:	NM_001025070
ORF Size:	453 bp
ORF Nucleotide Sequence:	The ORF insert of this clone is exactly the same as(RC203889).
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
RefSeq:	<u>NM 001025070.1, NP 001020241.1</u>
RefSeq Size:	787 bp
RefSeq ORF:	456 bp
Locus ID:	6208
UniProt ID:	<u>P62263</u>
Cytogenetics:	5q33.1
MW:	16.3 kDa



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US



RPS14 (NM_001025070) Human Tagged ORF Clone Lentiviral Particle – RC203889L4V

Gene Summary:Ribosomes, the organelles that catalyze protein synthesis, consist of a small 40S subunit and
a large 60S subunit. Together these subunits are composed of 4 RNA species and
approximately 80 structurally distinct proteins. This gene encodes a ribosomal protein that is
a component of the 40S subunit. The protein belongs to the S11P family of ribosomal
proteins. It is located in the cytoplasm. Transcript variants utilizing alternative transcription
initiation sites have been described in the literature. As is typical for genes encoding
ribosomal proteins, there are multiple processed pseudogenes of this gene dispersed
through the genome. In Chinese hamster ovary cells, mutations in this gene can lead to
resistance to emetine, a protein synthesis inhibitor. Multiple alternatively spliced transcript
variants encoding the same protein have been found for this gene. [provided by RefSeq, Jul
2008]

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US