

# Product datasheet for RC204008L3

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## TNFRSF1A (NM\_001065) Human Tagged Lenti ORF Clone

**Product data:** 

**Product Type:** Expression Plasmids

Product Name: TNFRSF1A (NM\_001065) Human Tagged Lenti ORF Clone

Tag: Myc-DDK
Symbol: TNFRSF1A

**Synonyms:** CD120a; FPF; p55; p55-R; p60; TBP1; TNF-R-I; TNF-R-I; TNF-R55; TNFR1; TNFR55; TNFR60

Mammalian Cell

Selection:

Puromycin

**Vector:** pLenti-C-Myc-DDK-P2A-Puro (PS100092)

E. coli Selection: Chloramphenicol (34 ug/mL)


**ORF Nucleotide** 


The ORF insert of this clone is exactly the same as(RC204008).

Sequence:

**Restriction Sites:** Sgfl-Rsrll

**Cloning Scheme:** 





<sup>\*</sup> The last codon before the Stop codon of the ORF.

**ACCN:** NM\_001065

ORF Size: 1365 bp





### TNFRSF1A (NM\_001065) Human Tagged Lenti ORF Clone - RC204008L3

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

**Note:** Plasmids are not sterile. For experiments where strict sterility is required, filtration with

0.22um filter is required.

RefSeq: <u>NM 001065.2</u>

 RefSeq Size:
 2236 bp

 RefSeq ORF:
 1368 bp

 Locus ID:
 7132

 UniProt ID:
 P19438

 Cytogenetics:
 12p13.31

Domains: DEATH, TNFR

**Protein Families:** Druggable Genome, Secreted Protein, Transcription Factors, Transmembrane

Protein Pathways: Adipocytokine signaling pathway, Alzheimer's disease, Amyotrophic lateral sclerosis (ALS),

Apoptosis, Cytokine-cytokine receptor interaction, MAPK signaling pathway

**MW:** 50.49 kDa





#### **Gene Summary:**

This gene encodes a member of the TNF receptor superfamily of proteins. The encoded receptor is found in membrane-bound and soluble forms that interact with membrane-bound and soluble forms, respectively, of its ligand, tumor necrosis factor alpha. Binding of membrane-bound tumor necrosis factor alpha to the membrane-bound receptor induces receptor trimerization and activation, which plays a role in cell survival, apoptosis, and inflammation. Proteolytic processing of the encoded receptor results in release of the soluble form of the receptor, which can interact with free tumor necrosis factor alpha to inhibit inflammation. Mutations in this gene underlie tumor necrosis factor receptor-associated periodic syndrome (TRAPS), characterized by fever, abdominal pain and other features. Mutations in this gene may also be associated with multiple sclerosis in human patients. [provided by RefSeq, Sep 2016]