

Product datasheet for RC204039

Glutamine Synthetase (GLUL) (NM_001033056) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Glutamine Synthetase (GLUL) (NM_001033056) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	Glutamine Synthetase
Synonyms:	GLNS; GS; PIG43; PIG59
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
ORF Nucleotide Sequence:	>RC204039 ORF sequence Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGATCGCC**

ATGACCACCTCAGCAAGTCCCACCTAAATAAAGGCATCAAGCAGGTGTACATGTCCCTGCCTCAGGGTG
AGAAAGTCCAGGCCATGTATATCTGGATCGATGGTACTGGAGAAGGACTGCGCTGCAAGACCCGGACCT
GGACAGTGAGCCCAAGTGTGTGGAAGAGTTGCCTGAGTGGAAATTCGATGGCTCCAGTACTTTACAGTCT
GAGGGTCCAACAGTGACATGTATCTCGTGCCTGCTGCCATGTTTCGGGACCCCTCCGTAAGGACCTA
ACAAGCTGGTGTATGTGAAGTTTTCAAGTACAATCGAAGGCCTGCAGAGACCAATTTGAGGCACACCTG
TAAACGGATAATGGACATGGTGAGCAACAGCACCCCTGGTTTGGCATGGAGCAGGAGTATACCCTCATG
GGGACAGATGGGCACCCCTTTGGTTGGCCTTCCAACGGCTTCCCAGGGCCCCAGGGTCCATATTACTGTG
GTGTGGGAGCAGACAGAGCCTATGGCAGGGACATCGTGGAGGCCATTACCGGGCCTGCTGTATGCTGG
AGTCAAGATTGCGGGGACTAATGCCGAGGTCATGCCTGCCAGTGGGAATTTAGATTGGACCTTGTA
GGAATCAGCATGGGAGATCATCTCTGGTGGCCGTTTCATCTTGATCGTGTGTGAAGACTTTGGAG
TGATAGCAACCTTTGATCCTAAGCCATTCCTGGGAACGGAATGGTGCAGGCTGCCATACCAACTTCAG
CACCAAGGCCATGCGGGAGGAGAATGGTCTGAAGTACATCGAGGAGGCCATTGAGAACTAAGCAAGCGG
CACCAGTACCACATCCGTGCCTATGATCCCAAGGAGGCCTGGACAATGCCCGAGTCTAACTGGATTCC
ATGAAACCTCCAACATCAACGACTTTTCTGCTGGTGTAGCCAATCGTAGCGCCAGCATAACGATTCCTCCG
GACTGTTGGCCAGGAGAAGAAGGTTACTTTGAAGATCGTCGCCCTCTGCCAACTGCGACCCCTTTTCG
GTGACAGAAGCCCTCATCCGCACGTGTCTTCTCAATGAAACCGCGATGAGCCCTCCAGTACAAAAAT

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAATGATATCCTGGATT
ACAAGGATGACGACGATAAGGTTTAA



[View online »](#)

Protein Sequence: >RC204039 protein sequence
Red=Cloning site Green=Tags(s)

MTTSASSHLNKGIKQVYMSLPQGEKVQAMYIWIDGTGEGLRCKTRTL DSEPKCVEELPEWNFDGSSTLQS
 EGSNSDMYLVPAAMFRDPFRKDPNKLVLCEVFKYNRRPAETNL RHTCKRIMDMVSNQHPWFQMEQEYTLM
 GTDGHFPGWPSNGFPGQGPYYCGVGADRAYGRDIVEAHYRACL YAGVKIAGTNAEVMPAQWFEQIGPCE
 GISMGDHLWVARFILHRVCEDFGVIATFDPKPIPGNWNAGCHTNF STKAMREENGLKYIEEAIEKLSKR
 HQYHIRAYDPKGGLDNARRLTGFHETSNINDFSAGVANRSASIRIPRTV GQEKKGYFEDRRPSANCDPFS
 VTEALIRTCLLNETGDEPFQYKN

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Chromatograms: https://cdn.origene.com/chromatograms/mk6566_e06.zip

Restriction Sites: SgfI-MluI

Cloning Scheme:



ACCN: NM_001033056


ORF Size: 1119 bp

OTI Disclaimer: Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.


The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
Note:	Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um filter is required.
RefSeq:	NM_001033056.3 , NP_001028228.1
RefSeq Size:	4083 bp
RefSeq ORF:	1122 bp
Locus ID:	2752
UniProt ID:	P15104
Cytogenetics:	1q25.3
Protein Pathways:	Alanine, aspartate and glutamate metabolism, Arginine and proline metabolism, Metabolic pathways, Nitrogen metabolism
MW:	42.1 kDa
Gene Summary:	The protein encoded by this gene belongs to the glutamine synthetase family. It catalyzes the synthesis of glutamine from glutamate and ammonia in an ATP-dependent reaction. This protein plays a role in ammonia and glutamate detoxification, acid-base homeostasis, cell signaling, and cell proliferation. Glutamine is an abundant amino acid, and is important to the biosynthesis of several amino acids, pyrimidines, and purines. Mutations in this gene are associated with congenital glutamine deficiency, and overexpression of this gene was observed in some primary liver cancer samples. There are six pseudogenes of this gene found on chromosomes 2, 5, 9, 11, and 12. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Dec 2014]


Product images:



Circular map for RC204039



Western blot validation of overexpression lysate (Cat# [LY422357]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with RC204039 using transfection reagent MegaTran 2.0 (Cat# [TT210002]).



Coomassie blue staining of purified GLUL protein (Cat# [TP304039]). The protein was produced from HEK293T cells transfected with GLUL cDNA clone (Cat# RC204039) using MegaTran 2.0 (Cat# [TT210002]).