

Product datasheet for RC204041L2V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

ERp72 (PDIA4) (NM 004911) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: ERp72 (PDIA4) (NM_004911) Human Tagged ORF Clone Lentiviral Particle

Symbol: ERp72

ERp-72; ERP70; ERP72 Synonyms:

Mammalian Cell

Selection:

None

Vector: pLenti-C-mGFP (PS100071)

mGFP Tag:

NM 004911 ACCN: **ORF Size:** 1935 bp

ORF Nucleotide

The ORF insert of this clone is exactly the same as(RC204041).

OTI Disclaimer:

Sequence:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeq: NM 004911.3

RefSeq Size: 2970 bp RefSeq ORF: 1938 bp Locus ID: 9601 **UniProt ID:** P13667 Cytogenetics: 7q36.1 **Domains:**

Protein Families: Druggable Genome, Transmembrane

thiored





ERp72 (PDIA4) (NM_004911) Human Tagged ORF Clone Lentiviral Particle - RC204041L2V

Protein Pathways: Vibrio cholerae infection

MW: 72.9 kDa

Gene Summary: This gene encodes a member of the disulfide isomerase (PDI) family of endoplasmic

reticulum (ER) proteins that catalyze protein folding and thiol-disulfide interchange reactions.

The encoded protein has an N-terminal ER-signal sequence, three catalytically active thioredoxin (TRX) domains, two TRX-like domains and a C-terminal ER-retention sequence.

This protein, when bound to cyclophilin B, enhances the rate of immunoglobulin G intermolecular disulfide bonding and antibody assembly. [provided by RefSeq, Dec 2016]