

Product datasheet for RC204051L4

OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

UQCRFS1 (NM_006003) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: UQCRFS1 (NM 006003) Human Tagged Lenti ORF Clone

Tag: mGFP

Symbol: UQCRFS1

Synonyms: MC3DN10; RIP1; RIS1; RISP; UQCR5

Mammalian Cell

Selection:

Puromycin

Vector: pLenti-C-mGFP-P2A-Puro (PS100093)

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide


The ORF insert of this clone is exactly the same as(RC204051).

Sequence:

Restriction Sites: Sgfl-Rsrll

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

ACCN: NM_006003

ORF Size: 822 bp





OTI Disclaimer:

Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at customport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info

OTI Annotation:

This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components:

Cytogenetics:

The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

- 1. Centrifuge at 5,000xg for 5min.
- 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
- 3. Close the tube and incubate for 10 minutes at room temperature.
- 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
- 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: NM 006003.1, NP 005994.1

19q12

 RefSeq Size:
 1224 bp

 RefSeq ORF:
 825 bp

 Locus ID:
 7386

 UniProt ID:
 P47985

Domains: UCR_TM, Rieske

Protein Pathways: Alzheimer's disease, Cardiac muscle contraction, Huntington's disease, Metabolic pathways,

Oxidative phosphorylation, Parkinson's disease

MW: 29.7 kDa

Gene Summary: Cytochrome b-c1 complex subunit Rieske, mitochondrial: Component of the mitochondrial

ubiquinol-cytochrome c reductase complex dimer (complex III dimer), which is a respiratory


chain that generates an electrochemical potential coupled to ATP synthesis

(PubMed:28673544). Incorporation of UQCRFS1 is the penultimate step in complex III

assembly (PubMed:28673544).[UniProtKB/Swiss-Prot Function]



Product images:



Circular map for RC204051L4