

Product datasheet for RC204056L2V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

CD99 (NM_002414) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: CD99 (NM_002414) Human Tagged ORF Clone Lentiviral Particle

Symbol: CD99

Synonyms: HBA71; MIC2; MIC2X; MIC2Y; MSK5X

Mammalian Cell

Selection:

None

Vector: pLenti-C-mGFP (PS100071)

Tag: mGFP

ACCN: NM_002414

ORF Size: 555 bp

ORF Nucleotide

The ORF insert of this clone is exactly the same as(RC204056).

Sequence:

OTI Disclaimer:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeg: NM 002414.3

 RefSeq Size:
 1255 bp

 RefSeq ORF:
 558 bp

 Locus ID:
 4267

 UniProt ID:
 P14209

Cytogenetics: X;Y

Protein Families: Druggable Genome, Transmembrane

Protein Pathways: Cell adhesion molecules (CAMs), Leukocyte transendothelial migration






MW: 18.8 kDa

Gene Summary:

The protein encoded by this gene is a cell surface glycoprotein involved in leukocyte migration, T-cell adhesion, ganglioside GM1 and transmembrane protein transport, and T-cell death by a caspase-independent pathway. In addition, the encoded protein may have the ability to rearrange the actin cytoskeleton and may also act as an oncosuppressor in osteosarcoma. This gene is found in the pseudoautosomal region of chromosomes X and Y and escapes X-chromosome inactivation. There is a related pseudogene located immediately adjacent to this locus. [provided by RefSeq, Mar 2016]

Product images:



[RC204056L2] was used to prepare Lentiviral particles using [TR30037] packaging kit. HEK293T cells were transduced with RC204056L2V particle to overexpress human CD99-mGFP fusion protein.