

Product datasheet for RC204152L3V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

GBE1 (NM_000158) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: GBE1 (NM_000158) Human Tagged ORF Clone Lentiviral Particle

Symbol: GBE1

Synonyms: APBD; GBE; GSD4

Mammalian Cell

Selection:

Puromycin

Vector: pLenti-C-Myc-DDK-P2A-Puro (PS100092)

 Tag:
 Myc-DDK

 ACCN:
 NM_000158

ORF Size: 2106 bp

ORF Nucleotide

Sequence:

The ORF insert of this clone is exactly the same as(RC204152).

OTI Disclaimer:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeg: NM 000158.2

 RefSeq Size:
 3118 bp

 RefSeq ORF:
 2109 bp

 Locus ID:
 2632

 UniProt ID:
 Q04446

 Cytogenetics:
 3p12.2

Domains: isoamylase_N, alpha-amylase, Aamy

Protein Families: Druggable Genome





GBE1 (NM_000158) Human Tagged ORF Clone Lentiviral Particle - RC204152L3V

Protein Pathways: Metabolic pathways, Starch and sucrose metabolism

MW: 80.4 kDa

Gene Summary: The protein encoded by this gene is a glycogen branching enzyme that catalyzes the transfer

of alpha-1,4-linked glucosyl units from the outer end of a glycogen chain to an alpha-1,6 position on the same or a neighboring glycogen chain. Branching of the chains is essential to increase the solubility of the glycogen molecule and, consequently, in reducing the osmotic pressure within cells. Highest level of this enzyme are found in liver and muscle. Mutations in this gene are associated with glycogen storage disease IV (also known as Andersen's disease).

[provided by RefSeq, Jul 2008]