

## Product datasheet for RC204159L4V

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## P2Y2 (P2RY2) (NM\_002564) Human Tagged ORF Clone Lentiviral Particle

**Product data:** 

**Product Type:** Lentiviral Particles

**Product Name:** P2Y2 (P2RY2) (NM\_002564) Human Tagged ORF Clone Lentiviral Particle

Symbol: P2Y2

Synonyms: HP2U; P2RU1; P2U; P2U1; P2UR; P2Y2; P2Y2R

Mammalian Cell

Selection:

Puromycin

**Vector:** pLenti-C-mGFP-P2A-Puro (PS100093)

Tag: mGFP

**ACCN:** NM\_002564 **ORF Size:** 1131 bp

**ORF Nucleotide** 

The ORF insert of this clone is exactly the same as(RC204159).

Sequence:

**Domains:** 

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**RefSeg:** NM 002564.2

 RefSeq Size:
 8602 bp

 RefSeq ORF:
 1134 bp

 Locus ID:
 5029

 UniProt ID:
 P41231

 Cytogenetics:
 11q13.4

**Protein Families:** Druggable Genome, GPCR, Transmembrane

7tm 1





## P2Y2 (P2RY2) (NM\_002564) Human Tagged ORF Clone Lentiviral Particle - RC204159L4V

**Protein Pathways:** Neuroactive ligand-receptor interaction

MW: 42.2 kDa

**Gene Summary:** The product of this gene belongs to the family of P2 receptors, which is activated by

extracellular nucleotides and subdivided into P2X ligand-gated ion channels and P2Y G-protein coupled receptors. This family has several receptor subtypes with different pharmacological selectivity, which overlaps in some cases, for various adenosine and uridine purposed to the protein several transported by ATR and UTR and is

nucleotides. This receptor, found on many cell types, is activated by ATP and UTP and is reported to be overexpressed on some cancer cell types. It is involved in many cellular functions, such as proliferation, apoptosis and inflammation. Three transcript variants

encoding the same protein have been identified for this gene. [provided by RefSeq, Mar 2013]