

Product datasheet for RC204313

PRR13 (NM_018457) Human Tagged ORF Clone

Product data:

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product Type:	Expression Plasmids	
Product Name:	PRR13 (NM_018457) Human Tagged ORF Clone	
Tag:	Myc-DDK	
Symbol:	PRR13	
Synonyms:	TXR1	
Mammalian Cell Selection:	Neomycin	
Vector:	pCMV6-Entry (PS100001)	
E. coli Selection:	Kanamycin (25 ug/mL)	
ORF Nucleotide Sequence:	<pre>>RC204313 ORF sequence Red=Cloning site Blue=ORF Green=Tags(s)</pre>	
	TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC GCC <mark>GCGATCGC</mark> C	
	ATGTGGAATCCCAATGCCGGGCAGCCAGGGCCAAATCCATATCCCCCCAATATTGGGTGCCCTGGAGGTT CCAATCCTGCCCACCCACCACCTATTAATCCACCCTTTCCCCCAGGCCCCTGTCCTCCTCCCCCAGGAGC TCCCCATGGCAATCCAGCTTTCCCCCCAGGTGGGCCCCCTCATCCTGTGCCACAGCCAGGGTATCCAGGA TGCCAACCGTTGGGTCCCTACCCTCCTCCATACCCACCGCCTGCCCCTGGAATCCCTCGTGAATCCCT TGGCTCCTGGCATGGTTGGACCAGCAGTGATAGTAGACAAGAAGATGCAGAAGAAAATGAAGAAAGCTCA TAAAAAGATGCACAAGCACCAAAAGCACCACAAGTACCACAAGCATGGCAAGCATTCCTCCTCTTCCTCC TCCTCTTCCAGCAGTGATTCTGAC	
	ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT ACAAGGATGACGACGATAAG GTTTAA	
Protein Sequence:	>RC204313 protein sequence Red=Cloning site Green=Tags(s)	
	MWNPNAGQPGPNPYPPNIGCPGGSNPAHPPPINPPFPPGPCPPPPGAPHGNPAFPPGGPPHPVPQPGYPG CQPLGPYPPPYPPPAPGIPPVNPLAPGMVGPAVIVDKKMQKKMKKAHKKMHKHQKHHKYHKHGKHSSSSS SSSSDSD	
	TRTRPLEQKLISEEDLAANDILDYKDDDDKV	
Chromatograms:	https://cdn.origene.com/chromatograms/mk6421_a10.zip	



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US


PRR13 (NM_018457) Human Tagged ORF Clone – RC204313

ACCN: NM ORF Size: 444 OTI Disclaimer: The refe nat clor vari OTI Annotation: This vari Components: The con Reconstitution Method: 1. C 2. C 3. C	Common sites used for OFF Shuttling: $ \begin{aligned} $	
ACCN: NM ORF Size: 444 OTI Disclaimer: The refe nat clor vari OTI Annotation: This vari Components: The con Reconstitution Method: 1. C 2. C 3. C	EORIBamHI KpriRBSConsensus SgfiATAGGECGGCCCGGAAATTCGTCGACTGGACCGATGGCAGAGGAGTCGCCCGATGGC CGRTSgfiGRTORFMiuiACGCGTGRGGGGGGGTRTRPLGGGTRTRPGGGGGGTRTRPLGGGTRTRPLGGGTRTRPRTRTRPRTRTRRRTRTRRRTRTRRRTRRRRRTRRRRRTRRRRRTRRRRRTRRRRRTRRRRRTRRRRRTRRRRRTRRRRRTRRRRRTRRRRRTRRRRTRRRRTRRRRTRRRRTRRRTRR	
ACCN: NM ORF Size: 444 OTI Disclaimer: The refe nat clor vari OTI Annotation: This vari Components: The con Reconstitution Method: 1. C 2. C 3. C	Ever v Fileg Tag Price I Fee 1 The L A A N D I L D Y K D D D K OFF M_018457 4 bp e molecular sequence of this clone aligns with the gene accession number as a point of ference only. However, individual transcript sequences of the same gene can differ through turally occurring variations (e.g. polymorphisms), each with its own valid existence. This one is substantially in agreement with the reference, but a complete review of all prevailing	
ACCN: NM ORF Size: 444 OTI Disclaimer: The refe nat clor vari OTI Annotation: This vari Components: The con Reconstitution Method: 1. C 2. C 3. C	M_018457 4 bp e molecular sequence of this clone aligns with the gene accession number as a point of ference only. However, individual transcript sequences of the same gene can differ through turally occurring variations (e.g. polymorphisms), each with its own valid existence. This one is substantially in agreement with the reference, but a complete review of all prevailing	
ORF Size: 444 OTI Disclaimer: The refe nat clor vari OTI Annotation: This vari Components: The con Reconstitution Method: 1. C 2. C 3. C	4 bp e molecular sequence of this clone aligns with the gene accession number as a point of ference only. However, individual transcript sequences of the same gene can differ through turally occurring variations (e.g. polymorphisms), each with its own valid existence. This one is substantially in agreement with the reference, but a complete review of all prevailing	
OTI Disclaimer: The refe nat clor vari OTI Annotation: This vari Components: The con Reconstitution Method: 1. C 2. C 3. C	e molecular sequence of this clone aligns with the gene accession number as a point of ference only. However, individual transcript sequences of the same gene can differ through turally occurring variations (e.g. polymorphisms), each with its own valid existence. This one is substantially in agreement with the reference, but a complete review of all prevailing	
refe nat clor Vari DTI Annotation: This Vari Components: The con Reconstitution Method: 1. C 2. C 3. C	ference only. However, individual transcript sequences of the same gene can differ through turally occurring variations (e.g. polymorphisms), each with its own valid existence. This one is substantially in agreement with the reference, but a complete review of all prevailing	
vari Components: The con Reconstitution Method: 1. C 2. C 3. C		
con Reconstitution Method: 1. C 2. C 3. C	is clone was engineered to express the complete ORF with an expression tag. Expression ries depending on the nature of the gene.	
2. C 3. C	e ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube ntaining 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).	
5. S	 Centrifuge at 5,000xg for 5min. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. Close the tube and incubate for 10 minutes at room temperature. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C. 	
	asmids are not sterile. For experiments where strict sterility is required, filtration with 22um filter is required.	
RefSeq: <u>NM</u>	<u>M 018457.4</u>	
efSeq Size: 126	62 bp	
RefSeq ORF: 447	7 bp	


This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

	PRR13 (NM_018457) Human Tagged ORF Clone – RC204313	
Locus ID:	54458	
UniProt ID:	<u>Q9NZ81</u>	
Cytogenetics:	12q13.13	
MW:	15.4 kDa	
Gene Summary:	Negatively regulates TSP1 expression at the level of transcription. This down-regulation was shown to reduce taxane-induced apoptosis.[UniProtKB/Swiss-Prot Function]	

Product images:



Circular map for RC204313



Western blot validation of overexpression lysate (Cat# [LY413037]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with RC204313 using transfection reagent MegaTran 2.0 (Cat# [TT210002]).

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

116	_	
66	_	
45	_	
35	_	
25	_	
18 14	=	

Coomassie blue staining of purified PRR13 protein (Cat# [TP304313]). The protein was produced from HEK293T cells transfected with PRR13 cDNA clone (Cat# RC204313) using MegaTran 2.0 (Cat# [TT210002]).

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US