

## Product datasheet for RC204324L4V

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## RHOH (NM\_004310) Human Tagged ORF Clone Lentiviral Particle

**Product data:** 

**Product Type:** Lentiviral Particles

Product Name: RHOH (NM 004310) Human Tagged ORF Clone Lentiviral Particle

Symbol: RHOH

Synonyms: ARHH; TTF

Mammalian Cell Puromycin

Selection:

Vector:

pLenti-C-mGFP-P2A-Puro (PS100093)

Tag: mGFP

**ACCN:** NM\_004310

ORF Size: 573 bp

**ORF Nucleotide** 

The ORF insert of this clone is exactly the same as(RC204324).

•

Sequence:

OTI Disclaimer:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**RefSeg:** NM 004310.2

 RefSeq Size:
 2102 bp

 RefSeq ORF:
 576 bp

 Locus ID:
 399

 UniProt ID:
 Q15669

Cytogenetics: 4p14

**Domains:** ras, RAS, RHO, RAB

**Protein Families:** Transcription Factors





## RHOH (NM\_004310) Human Tagged ORF Clone Lentiviral Particle - RC204324L4V

**Protein Pathways:** Leukocyte transendothelial migration

MW: 21.3 kDa

**Gene Summary:** The protein encoded by this gene is a member of the Ras superfamily of guanosine

triphosphate (GTP)-metabolizing enzymes. The encoded protein is expressed in

hematopoietic cells, where it functions as a negative regulator of cell growth and survival.

This gene may be hypermutated or misexpressed in leukemias and lymphomas.

Chromosomal translocations in non-Hodgkin's lymphoma occur between this locus and B-cell CLL/lymphoma 6 (BCL6) on chromosome 3, leading to the production of fusion transcripts. Alternative splicing in the 5' untranslated region results in multiple transcript variants that

encode the same protein. [provided by RefSeq, May 2013]