

## Product datasheet for **RC204361**

### HOPX (NM\_139211) Human Tagged ORF Clone

#### Product data:

**Product Type:** Expression Plasmids  
**Product Name:** HOPX (NM\_139211) Human Tagged ORF Clone  
**Tag:** Myc-DDK  
**Symbol:** HOPX  
**Synonyms:** CAMEO; HOD; HOP; LAGY; NECC1; OB1; SMAP31; TOTO  
**Mammalian Cell Selection:** Neomycin  
**Vector:** pCMV6-Entry (PS100001)  
**E. coli Selection:** Kanamycin (25 ug/mL)  
**ORF Nucleotide Sequence:** >RC204361 ORF sequence  
Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
GCC**CGATCGCC**

ATGTCGGCGGAGACCGCGAGCGGCCCCACAGAGGACCAGGTGAAATCCTGGAGTACAACCTCAACAAGG  
TCGACAAGCACCCGATTCCACCACGCTGTGCCTCATCGCGGCCGAGGCAGGCCTTCCGAGGAGGAGAC  
CCAGAAATGGTTAAGCAGCGCCTGGCAAAGTGGCGGCGCTCAGAAGGCCTGCCCTCAGAGTGCAGATCC  
GTCATAGAC

**ACGCGT**ACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT  
ACAAGGATGACGACGATAAGGTTTAA

**Protein Sequence:** >RC204361 protein sequence  
Red=Cloning site Green=Tags(s)

MSAETASGPTEDQVEILEYFNKVDKHPDSTLLCLIAEAGLSEEETQKWFQRLAKWRRSEGLPSECRS  
VID

**TRTRPLEQKLISEEDLAANDILDYKDDDDKV**

**Chromatograms:** [https://cdn.origene.com/chromatograms/mk6430\\_e12.zip](https://cdn.origene.com/chromatograms/mk6430_e12.zip)

**Restriction Sites:** Sgfl-Mlul



[View online »](#)

**Cloning Scheme:**


**ACCN:** NM\_139211

**ORF Size:** 219 bp

**OTI Disclaimer:** Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at [custsupport@origene.com](mailto:custsupport@origene.com) or by calling 301.340.3188 option 3 for pricing and delivery.


The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.


**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

<b>Reconstitution Method:</b>	<ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol>
<b>Note:</b>	Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um filter is required.
<b>RefSeq:</b>	<a href="#">NM_139211.4</a>
<b>RefSeq Size:</b>	1154 bp
<b>RefSeq ORF:</b>	222 bp
<b>Locus ID:</b>	84525
<b>UniProt ID:</b>	<a href="#">Q9BPY8</a>
<b>Cytogenetics:</b>	4q12
<b>Protein Families:</b>	Transcription Factors
<b>MW:</b>	8.3 kDa
<b>Gene Summary:</b>	The protein encoded by this gene is a homeodomain protein that lacks certain conserved residues required for DNA binding. It was reported that choriocarcinoma cell lines and tissues failed to express this gene, which suggested the possible involvement of this gene in malignant conversion of placental trophoblasts. Studies in mice suggest that this protein may interact with serum response factor (SRF) and modulate SRF-dependent cardiac-specific gene expression and cardiac development. Multiple alternatively spliced transcript variants have been identified for this gene. [provided by RefSeq, Feb 2009]


Product images:



Circular map for RC204361



Western blot validation of overexpression lysate (Cat# [LY428902]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with [RC227611] using transfection reagent MegaTran 2.0 (Cat# [TT210002]).



Coomassie blue staining of purified HOPX protein (Cat# [TP304361]). The protein was produced from HEK293T cells transfected with HOPX cDNA clone (Cat# RC204361) using MegaTran 2.0 (Cat# [TT210002]).