

Product datasheet for **RC204418**

NUP62 (NM_012346) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	NUP62 (NM_012346) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	NUP62
Synonyms:	IBSN; p62; SNDI
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

ORF Nucleotide Sequence:

>RC204418 ORF sequence
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGGATCGCC**

ATGAGCGGGTTTAAATTTGGAGGCACTGGGGCCCTACAGCGGGTTCACGTTTGGCACTGCAAAGACGG
 CAACAACCACACCTGCTACAGGGTTTTCTTCTCCACCTCTGGCACTGGAGGGTTTAAATTTGGGGCTCC
 CTTCCAACCAGCCACAAGTACCCCTTCCACCGCCTGTTCTCACTTGCCACCCAGACTCCGGCCACACAG
 ACGACAGGCTTCACTTTTGAACAGCGACTCTTCTCGGGGGAAGTGGATTTCTTTGGGGATCGGTG
 CTTCAAAGCTCAACTTGAGCAACACAGCTGCCACCCAGCCATGGCAAACCCAGCGCTTTGGGCTGGG
 CAGCAGCAACCTCACTAATGCCATATCGAGCACCGTCACCTCCAGCCAGGGCACAGCACCCACCGCTTT
 GTGTTTGGCCCTCCACCACCTCTGTGGCTCCAGTACCACATCTGGAGGCTTCTATTCACTGGTGAA
 GCACGGCCCAACCCTCCGGTTTCAACATTGGCTCAGCAGGAATTCAGCCAGCCACGGCACCTGCCAC
 GTTGCCCTTCACTCCGGCCAGCCAGCACCCACAGCAGGTGCCACACAGCCAGCTGCTCCACACCC
 ACAGCCACCATCACCACTACTGGGCCAGCCTCTTTGCGTCAATAGCAACTGCTCCAACCTCATCTGCCA
 CCACTGGACTCTCCCTCTGTACCCTGTGACCACAGCGGGCGCCCCACTGCTGGGACACAGGGTTCAG
 CTTAAAGGCACCTGGAGCAGTTCCGGCACCTCCACAACAATCCACCCTGCCACCGCCACCGCCACC
 ACCACCAGCAGCAGCAGCACCCGGCTTTGCCTTGAATTTAAAACCACTGGCGCCAGCCGGGATCCCCA
 GCAATACAGCAGCTGCCGTGACCCTCCACCTGGCCCTGGCGCAGCTGCAGGGCGGGTCCAGCTCCGC
 CATGACCTACGCGCAGCTGGAGAGCCTGATCAACAAATGGAGCCTGGAGCTAGAGGACCAGGAGCGGCAC
 TTCTCCAGCAGCCACCCAGGTCAACGCCTGGGACCCAGCCTGATCGAGAATGGAGAAAAGATACCA
 GCCTGCACCGCGAGGTGGAGAAGGTGAAGCTGGACCAGAAGAGGCTGGACCAGGAGCTCGACTTCATCCT
 GTCCCAGCAGAAGGAGCTGGAAGACCTGCTGAGCCCACTGGAGGAGTTGGTCAAGGAGCAGAGCGGGACC
 ATCTACCTGCAGCAGCGGATGAGGAGCGTGAGAAAACCTACAAGCTGGCTGAGAACATCGACGCACAGC
 TCAAGCGCATGGCCAGGATCTCAAGGACATCATCGAGCACCTGAACACGTCCGGGGCCCCCGCCGACAC
 CAGTGACCCACTGCAGCAGATCTGCAAGATCCTCAATGCGCACATGGACTCACTGCAGTGGATCGACCAG
 AACTCGGCCCTGCTGCAGAGGAAGGTGGAGGAGGTGACCAAGGTGTGCGAGGGCCGGCGCAAGGAGCAGG
 AGCGCAGCTTCCGGATCACCTTTGAC

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
 ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence:

>RC204418 protein sequence
 Red=Cloning site Green=Tags(s)

MSGFNFGGTGAPTGGFTFGTAKTATTPATGFSFSTSGTGGFNGFAPFPATSTPSTGLFSLATQTPATQ
 TTGFTFGTATLASGGTGFSLGIGASKLNLNNTAATPAMANPSGFLGSSNLTNAISSTVSSQGTAPTGF
 VFGPSTTSVAPATTSGGFSFTGGSTAQPSGFNIGSAGNSAQPTAPATLPFTPATPAATTAGATQPAAPT
 TATITSTGPSLFAFIATAPTSSATTGLSLCTPVTTAGAPTAGTQGFSLKAPGAASGTSTTTSTAATATAT
 TTSSSSTTGAFALNLKPLAPAGIPSNTAAAVTAPPGPAAAGAAAASSAMTYAQLESINKWSLELEDQERH
 FLQATQVNAWDRTLIENGEKITSLHREVEKVKLDQKRLDQELDFILSQKLELDLLSPLEELVKEQSGT
 IYLQHADEEREKTYKLAENIDAQLKRMAQDLKDIEHLNTSGAPADTSDPLQQICKILNAHMDSLQWIDQ
 NSALLQRKVEEVTKVCEGRRKEQERSFRITFD

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Chromatograms:

https://cdn.origene.com/chromatograms/mk6281_e07.zip

Restriction Sites:

Sgfl-Mlul

Cloning Scheme:



ACCN: NM_012346

ORF Size: 1566 bp

OTI Disclaimer: Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).


- Reconstitution Method:
1. Centrifuge at 5,000xg for 5min.
 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
 3. Close the tube and incubate for 10 minutes at room temperature.
 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_012346.3](#), [NP_036478.2](#)


RefSeq Size: 3241 bp
RefSeq ORF: 1569 bp
Locus ID: 23636
UniProt ID: [P37198](#)
Cytogenetics: 19q13.33
Domains: Nsp1_C
Protein Families: Druggable Genome, Transcription Factors
MW: 53.3 kDa

Gene Summary: The nuclear pore complex is a massive structure that extends across the nuclear envelope, forming a gateway that regulates the flow of macromolecules between the nucleus and the cytoplasm. Nucleoporins are the main components of the nuclear pore complex in eukaryotic cells. The protein encoded by this gene is a member of the FG-repeat containing nucleoporins and is localized to the nuclear pore central plug. This protein associates with the importin alpha/beta complex which is involved in the import of proteins containing nuclear localization signals. Multiple transcript variants of this gene encode a single protein isoform. [provided by RefSeq, Jul 2008]

Product images:



Circular map for RC204418



Western blot validation of overexpression lysate (Cat# [LY413909]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with [RC210581] using transfection reagent MegaTran 2.0 (Cat# [TT210002]).