

Product datasheet for RC204465L3

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com

OriGene Technologies, Inc.

EU: info-de@origene.com CN: techsupport@origene.cn

ACADSB (NM_001609) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: ACADSB (NM_001609) Human Tagged Lenti ORF Clone

Tag: Myc-DDK
Symbol: ACADSB

Synonyms: 2-MEBCAD; ACAD7; SBCAD

Mammalian Cell Puromycin

Selection:

Vector: pLenti-C-Myc-DDK-P2A-Puro (PS100092)

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide The ORF insert of this clone is exactly the same as(RC204465).

Sequence:

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF.

ACCN: NM_001609

ORF Size: 1296 bp





ACADSB (NM_001609) Human Tagged Lenti ORF Clone - RC204465L3

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 001609.3</u>

RefSeq Size: 5941 bp RefSeq ORF: 1299 bp

Locus ID: 36

 UniProt ID:
 P45954

 Cytogenetics:
 10q26.13

Domains: Acyl-CoA_dh, Acyl-CoA_dh_M, Acyl-CoA_dh_N

Protein Pathways: Fatty acid metabolism, Metabolic pathways, Valine, leucine and isoleucine degradation

MW: 47.5 kDa

Gene Summary: Short/branched chain acyl-CoA dehydrogenase(ACADSB) is a member of the acyl-CoA


dehydrogenase family of enzymes that catalyze the dehydrogenation of acyl-CoA derivatives in the metabolism of fatty acids or branch chained amino acids. Substrate specificity is the primary characteristic used to define members of this gene family. The ACADSB gene product

has the greatest activity towards the short branched chain acyl-CoA derivative, (S)-2-methylbutyryl-CoA, but also reacts significantly with other 2-methyl branched chain substrates and with short straight chain acyl-CoAs. The cDNA encodes for a mitochondrial precursor protein which is cleaved upon mitochondrial import and predicted to yield a

mature peptide of approximately 43.7-KDa. [provided by RefSeq, Jul 2008]



Product images:



Circular map for RC204465L3