

Product datasheet for RC204483L1V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

XPC (NM_004628) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: XPC (NM 004628) Human Tagged ORF Clone Lentiviral Particle

Symbol: XPC

Synonyms: p125; RAD4; XP3; XPCC

Mammalian Cell

Selection:

None

Vector: pLenti-C-Myc-DDK (PS100064)

 Tag:
 Myc-DDK

 ACCN:
 NM_004628

ORF Size: 2820 bp

ORF Nucleotide

The ORF insert of this clone is exactly the same as(RC204483).

OTI Disclaimer:

Sequence:

Domains:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeg: NM 004628.3

 RefSeq Size:
 3714 bp

 RefSeq ORF:
 2823 bp

 Locus ID:
 7508

 UniProt ID:
 Q01831

 Cytogenetics:
 3p25.1

Protein Families: Druggable Genome

Rad4





XPC (NM_004628) Human Tagged ORF Clone Lentiviral Particle - RC204483L1V

Protein Pathways: Nucleotide excision repair

MW: 105.8 kDa

Gene Summary: The protein encoded by this gene is a key component of the XPC complex, which plays an

important role in the early steps of global genome nucleotide excision repair (NER). The encoded protein is important for damage sensing and DNA binding, and shows a preference for single-stranded DNA. Mutations in this gene or some other NER components can result in Xeroderma pigmentosum, a rare autosomal recessive disorder characterized by increased sensitivity to sunlight with the development of carcinomas at an early age. Alternatively spliced transcript variants have been found for this gene. [provided by RefSeq, Aug 2017]