

### Product datasheet for RC204491L1

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## PP2A-beta (PPP2CB) (NM\_001009552) Human Tagged Lenti ORF Clone

#### **Product data:**

**Product Type:** Expression Plasmids

Product Name: PP2A-beta (PPP2CB) (NM\_001009552) Human Tagged Lenti ORF Clone

Tag: Myc-DDK
Symbol: PP2A-beta

Synonyms: PP2Abeta; PP2CB

Mammalian Cell None

Selection:

Vector:pLenti-C-Myc-DDK (PS100064)E. coli Selection:Chloramphenicol (34 ug/mL)


ORF Nucleotide The ORF insert of this clone is exactly the same as(RC204491).

Sequence:

**Restriction Sites:** Sgfl-Mlul

**Cloning Scheme:** 





 $<sup>\</sup>ensuremath{^*}$  The last codon before the Stop codon of the ORF.

ACCN: NM\_001009552

ORF Size: 927 bp





#### PP2A-beta (PPP2CB) (NM\_001009552) Human Tagged Lenti ORF Clone - RC204491L1

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

> reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: NM 001009552.1

RefSeq Size: 1987 bp RefSeq ORF: 930 bp Locus ID: 5516 **UniProt ID:** P62714

Cytogenetics:

8p12 **Protein Families:** Druggable Genome, Phosphatase

**Protein Pathways:** Long-term depression, Oocyte meiosis, TGF-beta signaling pathway, Tight junction, Wnt

signaling pathway

MW: 35.6 kDa

This gene encodes the phosphatase 2A catalytic subunit. Protein phosphatase 2A is one of the **Gene Summary:** 


> four major Ser/Thr phosphatases, and it is implicated in the negative control of cell growth and division. It consists of a common heteromeric core enzyme, which is composed of a catalytic subunit and a constant regulatory subunit, that associates with a variety of

regulatory subunits. This gene encodes a beta isoform of the catalytic subunit. [provided by


RefSeq, Mar 2010]



# **Product images:**



Circular map for RC204491L1



Double digestion of RC204491L1 using Sgfl and Mlul