

Product datasheet for RC204494L1V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

IGLL1 (NM_020070) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: IGLL1 (NM_020070) Human Tagged ORF Clone Lentiviral Particle

Symbol: IGLL1

Synonyms: 14.1; AGM2; CD179b; IGL1; IGL5; IGLJ14.1; IGLL; IGO; IGVPB; VPREB2

Mammalian Cell

Selection:

None

Vector: pLenti-C-Myc-DDK (PS100064)

Tag: Myc-DDK
ACCN: NM 020070

ORF Size: 639 bp

ORF Nucleotide

The ORF insert of this clone is exactly the same as(RC204494).

Sequence:

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This

clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeq: <u>NM 020070.2</u>

 RefSeq Size:
 915 bp

 RefSeq ORF:
 642 bp

 Locus ID:
 3543

 UniProt ID:
 P15814

 Cytogenetics:
 22q11.23

 Domains:
 ig, IGc1

Protein Families: Secreted Protein





IGLL1 (NM_020070) Human Tagged ORF Clone Lentiviral Particle - RC204494L1V

Protein Pathways: Primary immunodeficiency

MW: 23 kDa

Gene Summary: The preB cell receptor is found on the surface of proB and preB cells, where it is involved in

transduction of signals for cellular proliferation, differentiation from the proB cell to the preB cell stage, allelic exclusion at the Ig heavy chain gene locus, and promotion of Ig light chain gene rearrangements. The preB cell receptor is composed of a membrane-bound Ig mu heavy chain in association with a heterodimeric surrogate light chain. This gene encodes one

of the surrogate light chain subunits and is a member of the immunoglobulin gene

superfamily. This gene does not undergo rearrangement. Mutations in this gene can result in B cell deficiency and agammaglobulinemia, an autosomal recessive disease in which few or no gamma globulins or antibodies are made. Two transcript variants encoding different

isoforms have been found for this gene. [provided by RefSeq, Jul 2008]