

# Product datasheet for RC204538L4

# FGF21 (NM\_019113) Human Tagged Lenti ORF Clone


### **Product data:**

#### Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

**OriGene Technologies, Inc.** 

9620 Medical Center Drive, Ste 200

| Product Type:                | Expression Plasmids  |
|------------------------------|--|
| Product Name:                | FGF21 (NM_019113) Human Tagged Lenti ORF Clone   |
| Tag:                         | mGFP   |
| Symbol:                      | FGF21  |
| Mammalian Cell<br>Selection: | Puromycin  |
| Vector:                      | pLenti-C-mGFP-P2A-Puro (PS100093)  |
| E. coli Selection:           | Chloramphenicol (34 ug/mL)   |
| ORF Nucleotide<br>Sequence:  | The ORF insert of this clone is exactly the same as(RC204538).                             |
| <b>Restriction Sites:</b>    | Sgfl-Mlul  |
| Cloning Scheme:              | Cloning sites used for ORF Shuttling:<br>Sgf i ORF Mlu i<br>GCG ATC GCC ATG // NNN ACG CGT |



\* The last codon before the Stop codon of the ORF.

ACCN: ORF Size: NM\_019113 627 bp




This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

| GENE FGF21 (NM_019113) Human Tagged Lenti ORF Clone – RC204538L4 |  |
|--|--|
| OTI Disclaimer:  | Due to the inherent nature of this plasmid, standard methods to replicate additional amounts<br>of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore,<br>OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts<br>of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a<br>reduced cost. Please contact our customer care team at <u>custsupport@origene.com</u> or by<br>calling 301.340.3188 option 3 for pricing and delivery. |
|  | The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>  |
| OTI Annotation:  | This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.   |
| Components:  | The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).   |
| Reconstitution Meth  | <ul> <li>bd: 1. Centrifuge at 5,000xg for 5min.</li> <li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li> <li>3. Close the tube and incubate for 10 minutes at room temperature.</li> <li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li> <li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li> </ul>  |
| RefSeq:  | <u>NM 019113.2</u>   |
| RefSeq Size:   | 940 bp   |
| RefSeq ORF:  | 630 bp   |
| Locus ID:  | 26291  |
| UniProt ID:  | Q9NSA1   |
| Cytogenetics:  | 19q13.33   |
| Protein Families:  | Adult stem cells, Embryonic stem cells, ES Cell Differentiation/IPS, Secreted Protein  |
| Protein Pathways:  | MAPK signaling pathway, Melanoma, Pathways in cancer, Regulation of actin cytoskeleton   |
| MW:  | 19.4 kDa   |
| Gene Summary:  | Theis gene encodes a member of the fibroblast growth factor (FGF) family. FGF family<br>members possess broad mitogenic and cell survival activities and are involved in a variety of<br>biological processes. This protein is a secreted endocrine factor that functions as a major<br>metabolic regulator. The encoded protein stimulates the uptake of glucose in adipose tissue.<br>[provided by RefSeq, Mar 2016]   |

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

# **Product images:**



Circular map for RC204538L4

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US