

Product datasheet for RC204578L3

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

OriGene Technologies, Inc.

RNF125 (NM_017831) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: RNF125 (NM_017831) Human Tagged Lenti ORF Clone

Tag: Myc-DDK Symbol: RNF125

TNORS; TRAC-1; TRAC1 Synonyms:

Mammalian Cell Puromycin

Selection:

Vector: pLenti-C-Myc-DDK-P2A-Puro (PS100092)

E. coli Selection: Chloramphenicol (34 ug/mL)


The ORF insert of this clone is exactly the same as(RC204578). **ORF Nucleotide**

Ascl-Mlul

Sequence:

Restriction Sites: Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF.

ACCN: NM_017831

ORF Size: 696 bp



OTI Disclaimer:

Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>

OTI Annotation:

This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components:

Domains:

The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

- 1. Centrifuge at 5,000xg for 5min.
- 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
- 3. Close the tube and incubate for 10 minutes at room temperature.
- 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
- 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: <u>NM 017831.3</u>

 RefSeq Size:
 5888 bp

 RefSeq ORF:
 699 bp

 Locus ID:
 54941

 UniProt ID:
 Q96EQ8

 Cytogenetics:
 18q12.1

Protein Families: Druggable Genome

Protein Pathways: RIG-I-like receptor signaling pathway

RING

MW: 26.5 kDa


Gene Summary: This gene encodes a novel E3 ubiquitin ligase that contains a RING finger domain in the N-

terminus and three zinc-binding and one ubiquitin-interacting motif in the C-terminus. As a result of myristoylation, this protein associates with membranes and is primarily localized to intracellular membrane systems. The encoded protein may function as a positive regulator in

the T-cell receptor signaling pathway. [provided by RefSeq, Mar 2012]



Product images:



Double digestion of RC204578L3 using Ascl and Mlul