

### **Product datasheet for RC204637L4**

### Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com

Rockville, MD 20850, US

CN: techsupport@origene.cn

**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

## FCN1 (NM\_002003) Human Tagged Lenti ORF Clone

**Product data:** 

**Product Type:** Expression Plasmids

Product Name: FCN1 (NM\_002003) Human Tagged Lenti ORF Clone

Tag: mGFP
Symbol: FCN1
Synonyms: FCNM

Mammalian Cell Puromycin

Selection:

**Vector:** pLenti-C-mGFP-P2A-Puro (PS100093)

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide The ORF insert of this clone is exactly the same as(RC204637).

Sequence:

**Restriction Sites:** Sgfl-Mlul

**Cloning Scheme:** 





<sup>\*</sup> The last codon before the Stop codon of the ORF.

ACCN: NM\_002003

ORF Size: 978 bp



#### FCN1 (NM\_002003) Human Tagged Lenti ORF Clone - RC204637L4

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

**Note:** Plasmids are not sterile. For experiments where strict sterility is required, filtration with

0.22um filter is required.

RefSeq: <u>NM 002003.2</u>

 RefSeq Size:
 1313 bp

 RefSeq ORF:
 981 bp

 Locus ID:
 2219

 UniProt ID:
 000602

Cytogenetics: 9q34.3

**Domains:** FBG, Collagen

**Protein Families:** Druggable Genome, Secreted Protein

**MW:** 35.1 kDa

**Gene Summary:** The ficolin family of proteins are characterized by the presence of a leader peptide, a short N-


terminal segment, followed by a collagen-like region, and a C-terminal fibrinogen-like domain. The collagen-like and the fibrinogen-like domains are also found separately in other proteins such as complement protein C1q, C-type lectins known as collectins, and tenascins. However, all these proteins recognize different targets, and are functionally distinct. Ficolin 1 encoded by FCN1 is predominantly expressed in the peripheral blood leukocytes, and has been

postulated to function as a plasma protein with elastin-binding activity. [provided by RefSeq,

Jul 2008]



# **Product images:**



Circular map for RC204637L4