

## **Product datasheet for RC204647**

## MRPL35 (NM 145644) Human Tagged ORF Clone

**Product data:** 

**Product Type:** Expression Plasmids

**Product Name:** MRPL35 (NM\_145644) Human Tagged ORF Clone

Tag: Myc-DDK Symbol: MRPL35

Synonyms: L35mt; MRP-L35

Mammalian Cell

Selection:

Neomycin

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)ORF Nucleotide>RC204647 ORF sequence

Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

ATGGCTGCCTCTGCCTTTGCTGGTGCAGTGAGAGCAGCTTCAGGAATCCTACGGTCCCTGAATATTTTGA
CATCTTCAACCTACCGCAACTGTGTCAAGAATGCCTCTCTTATTTCTGCATTGTCCACTGGACGTTTTAG
TCATATTCAGACACCAGTTGTTTCCTCCACTCCCAGACTTACCACATCTGAGAGAAACCTGACATGTGGG
CATACCTCAGTGATCCTTAATAGAATGGCCCCCGTGCTTCCAAGTGTCCTGAAGCTGCCAGTCAGATCTC
TAACATACTTCAGTGCAAGAAAAGGCAAGAGAAAAGCCGTGAAAGCTGTCATCGATAGGTTTCTTCGACT
TCATTGTGGCCTTTGGGTGAGGAGAAAGGCTGGCTATAAGAAAAAATTATGGAAAAAAGACACCTGCAAGG
AAGAAGCGATTGAGGAATTTGTATTCTGCAATAAAACCCAGAGTAAACTCTTAGATAAAATGACGACGT

CCTTCTGGAAGAGGCGAAAC

**ACGCGT**ACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT

ACAAGGATGACGACGATAAGGTTTAA

**Protein Sequence:** >RC204647 protein sequence

Red=Cloning site Green=Tags(s)

MAASAFAGAVRAASGILRSLNILTSSTYRNCVKNASLISALSTGRFSHIQTPVVSSTPRLTTSERNLTCG HTSVILNRMAPVLPSVLKLPVRSLTYFSARKGKRKTVKAVIDRFLRLHCGLWVRRKAGYKKKLWKKTPAR

KKRLREFVFCNKTQSKLLDKMTTSFWKRRN

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Chromatograms: <a href="https://cdn.origene.com/chromatograms/mk6438">https://cdn.origene.com/chromatograms/mk6438</a> f05.zip



**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com




**Restriction Sites:** 

Sgfl-Mlul

**Cloning Scheme:** 





<sup>\*</sup> The last codon before the Stop codon of the ORF

**ACCN:** NM 145644

ORF Size: 510 bp

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

**RefSeq:** <u>NM 145644.2</u>

RefSeq Size: 1511 bp
RefSeq ORF: 513 bp
Locus ID: 51318
UniProt ID: Q9NZE8



Cytogenetics: 2p11.2

**Protein Families:** Druggable Genome


**MW:** 19.2 kDa

**Gene Summary:** Mammalian mitochondrial ribosomal proteins are encoded by nuclear genes and help in


protein synthesis within the mitochondrion. Mitochondrial ribosomes (mitoribosomes) consist of a small 28S subunit and a large 39S subunit. They have an estimated 75% protein to rRNA composition compared to prokaryotic ribosomes, where this ratio is reversed. Another difference between mammalian mitoribosomes and prokaryotic ribosomes is that the latter contain a 5S rRNA. Among different species, the proteins comprising the mitoribosome differ greatly in sequence, and sometimes in biochemical properties, which prevents easy recognition by sequence homology. This gene encodes a 39S subunit protein. Sequence analysis identified three transcript variants. Pseudogenes corresponding to this

gene are found on chromosomes 6p, 10q, and Xp. [provided by RefSeq, Jul 2008]

## **Product images:**



Circular map for RC204647



Western blot validation of overexpression lysate (Cat# [LY407917]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with RC204647 using transfection reagent MegaTran 2.0 (Cat# [TT210002]).