

### Product datasheet for RC204665L3

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## Carboxypeptidase M (CPM) (NM\_001005502) Human Tagged Lenti ORF Clone

**Product data:** 

**Product Type:** Expression Plasmids

**Product Name:** Carboxypeptidase M (CPM) (NM\_001005502) Human Tagged Lenti ORF Clone

Tag: Myc-DDK

Symbol: Carboxypeptidase M

Mammalian Cell Puromycin

Selection:

Vector: pLenti-C-Myc-DDK-P2A-Puro (PS100092)

E. coli Selection: Chloramphenicol (34 ug/mL)

**ORF Nucleotide** 


The ORF insert of this clone is exactly the same as(RC204665).

Sequence:

Restriction Sites: Sgfl-Mlul

**Cloning Scheme:** 





<sup>\*</sup> The last codon before the Stop codon of the ORF.

**ACCN:** NM 001005502

ORF Size: 1329 bp



#### Carboxypeptidase M (CPM) (NM\_001005502) Human Tagged Lenti ORF Clone - RC204665L3

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 001005502.1</u>

RefSeq Size: 6651 bp
RefSeq ORF: 1332 bp
Locus ID: 1368
UniProt ID: P14384

Cytogenetics: 12q15

**Protein Families:** Druggable Genome, Protease

MW: 50.5 kDa

**Gene Summary:** The protein encoded by this gene is a membrane-bound arginine/lysine carboxypeptidase. Its

expression is associated with monocyte to macrophage differentiation. This encoded protein


contains hydrophobic regions at the amino and carboxy termini and has 6 potential

asparagine-linked glycosylation sites. The active site residues of carboxypeptidases A and B are conserved in this protein. Three alternatively spliced transcript variants encoding the

same protein have been described for this gene. [provided by RefSeq, Jul 2008]



# **Product images:**



Circular map for RC204665L3