

Product datasheet for RC204693L3V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Aquaporin 4 (AQP4) (NM_001650) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: Aquaporin 4 (AQP4) (NM_001650) Human Tagged ORF Clone Lentiviral Particle

Symbol: AQP4

Synonyms: MIWC; WCH4

Mammalian Cell

Selection:

Puromycin

Vector: pLenti-C-Myc-DDK-P2A-Puro (PS100092)

969 bp

Tag: Myc-DDK

ACCN: NM_001650

ORF Nucleotide

Sequence:

ORF Size:

The ORF insert of this clone is exactly the same as(RC204693).

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through

naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeg: NM 001650.4

RefSeq Size:5216 bpRefSeq ORF:972 bp

Locus ID: 361

 UniProt ID:
 P55087

 Cytogenetics:
 18q11.2

Domains: MIP

Protein Families: Druggable Genome, Transmembrane





MW: 34.6 kDa

Gene Summary:

This gene encodes a member of the aquaporin family of intrinsic membrane proteins that function as water-selective channels in the plasma membranes of many cells. This protein is the predominant aquaporin found in brain and has an important role in brain water homeostasis. Alternatively spliced transcript variants encoding different isoforms have been described for this gene. Additional isoforms, resulting from the use of alternative in-frame translation initiation codons, have also been described. Recent studies provided evidence for translational readthrough in this gene, and expression of C-terminally extended isoforms via the use of an alternative in-frame translation termination codon. [provided by RefSeq, Jun 2018]