

Product datasheet for RC204734L3V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

LTBR (NM_002342) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: LTBR (NM_002342) Human Tagged ORF Clone Lentiviral Particle

Symbol: LTBF

Synonyms: D12S370; LT-BETA-R; TNF-R-III; TNFCR; TNFR-RP; TNFR2-RP; TNFR3; TNFRSF3

Mammalian Cell

Selection:

Puromycin

Vector: pLenti-C-Myc-DDK-P2A-Puro (PS100092)

Tag:Myc-DDKACCN:NM_002342

ORF Size: 1305 bp

ORF Nucleotide

Sequence:

The ORF insert of this clone is exactly the same as(RC204734).

OTI Disclaimer:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeq: <u>NM 002342.1</u>

 RefSeq Size:
 2283 bp

 RefSeq ORF:
 1308 bp

 Locus ID:
 4055

 UniProt ID:
 P36941

 Cytogenetics:
 12p13.31

 Domains:
 TNFR

Protein Families: Druggable Genome, Transmembrane





LTBR (NM_002342) Human Tagged ORF Clone Lentiviral Particle - RC204734L3V

Protein Pathways: Cytokine-cytokine receptor interaction

MW: 46.7 kDa

Gene Summary: This gene encodes a member of the tumor necrosis factor receptor superfamily. The major

ligands of this receptor include lymphotoxin alpha/beta and tumor necrosis factor ligand superfamily member 14. The encoded protein plays a role in signalling during the development of lymphoid and other organs, lipid metabolism, immune response, and programmed cell death. Activity of this receptor has also been linked to carcinogenesis. Alternatively spliced transcript variants encoding multiple isoforms have been observed.

[provided by RefSeq, Aug 2012]