

Product datasheet for RC204812L4

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

HSPC014 (POMP) (NM_015932) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: HSPC014 (POMP) (NM_015932) Human Tagged Lenti ORF Clone

Tag: mGFP

Symbol: HSPC014

Synonyms: C13orf12; HSPC014; PNAS-110; PRAAS2; UMP1

Mammalian Cell

Selection:

Puromycin

Vector: pLenti-C-mGFP-P2A-Puro (PS100093)

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide

The ORF insert of this clone is exactly the same as(RC204812).

Sequence:

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

ACCN: NM_015932

ORF Size: 423 bp





HSPC014 (POMP) (NM_015932) Human Tagged Lenti ORF Clone - RC204812L4

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 015932.2</u>

RefSeq Size: 1477 bp

RefSeq ORF: 426 bp

Locus ID: 51371

UniProt ID: Q9Y244

Cytogenetics: 13q12.3

Protein Pathways: Proteasome

MW: 15.8 kDa


Gene Summary: The protein encoded by this gene is a molecular chaperone that binds 20S preproteasome

components and is essential for 20S proteasome formation. The 20S proteasome is the proteolytically active component of the 26S proteasome complex. The encoded protein is degraded before the maturation of the 20S proteasome is complete. A variant in the 5' UTR of this gene has been associated with KLICK syndrome, a rare skin disorder.[provided by RefSeq,


Aug 2010]



Product images:



Circular map for RC204812L4



Double digestion of RC204812L4 using Sgfl and Mul