

Product datasheet for RC204819

RPB11 (POLR2J) (NM_006234) Human Tagged ORF Clone

Product data:

OriGene Technologies, Inc.


9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product Type:	Expression Plasmids
Product Name:	RPB11 (POLR2J) (NM_006234) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	RPB11
Synonyms:	hRPB14; POLR2J1; RPB11; RPB11A; RPB11m
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
ORF Nucleotide Sequence:	<pre>>RC204819 ORF sequence Red=Cloning site Blue=ORF Green=Tags(s)</pre>
	TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC GCC <mark>GCGATCGC</mark> C
	ATGAACGCCCCTCCAGCCTTCGAGTCGTTCTTGCTCTTCGAGGGCGAGAAGAAGATCACCATTAACAAGG ACACCAAGGTACCCAATGCCTGTTTATTCACCATCAACAAAGAAGAACACCACACCGGGAAACATCATTAA ATCACAACTCCTAAAAGACCCGCAAGTGCTATTTGCTGGCTACAAAGTCCCCCACCCCTTGGAGCACAAG ATCATCATCCGAGTGCAGACCACGCCGGACTACAGCCCCCAGGAAGCCTTTACCAACGCCATCACCGACC TCATCAGTGAGCTGTCCCTGGCGGAGGAGCGCTTTCGGGTGGCCATAAAAGACAAGCAGGAAGGA
	ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT ACAAGGATGACGACGATAAG GTTTAA
Protein Sequence:	<pre>>RC204819 protein sequence Red=Cloning site Green=Tags(s)</pre>
	MNAPPAFESFLLFEGEKKITINKDTKVPNACLFTINKEDHTLGNIIKSQLLKDPQVLFAGYKVPHPLEHK IIIRVQTTPDYSPQEAFTNAITDLISELSLLEERFRVAIKDKQEGIE
	TRTRPLEQKLISEEDLAANDILDYKDDDDKV
Chromatograms:	https://cdn.origene.com/chromatograms/mk6067_g11.zip
Restriction Sites:	Sgfl-Mlul



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

Cloning Scheme:




* The last codon before the Stop codon of the ORF

ACCN:	NM_006234
ORF Size:	351 bp
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	 Centrifuge at 5,000xg for 5min. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. Close the tube and incubate for 10 minutes at room temperature. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
Note:	Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um filter is required.
RefSeq:	<u>NM 006234.5</u>
RefSeq Size:	991 bp
RefSeq ORF:	354 bp

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US


	RPB11 (POLR2J) (NM_006234) Human Tagged ORF Clone – RC204819
Locus ID:	5439
UniProt ID:	<u>P52435</u>
Cytogenetics:	7q22.1
Domains:	RNA_pol_L
Protein Families:	Transcription Factors
Protein Pathway	s: Huntington's disease, Metabolic pathways, Purine metabolism, Pyrimidine metabolism, RNA polymerase
MW:	13.3 kDa
Gene Summary:	This gene encodes a subunit of RNA polymerase II, the polymerase responsible for synthesizing messenger RNA in eukaryotes. The product of this gene exists as a heterodimer with another polymerase subunit; together they form a core subassembly unit of the polymerase. Two similar genes are located nearby on chromosome 7q22.1 and a pseudogene is found on chromosome 7p13. [provided by RefSeq, Jul 2008]

Product images:



Circular map for RC204819

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US



17 14 6

HEK293T cells were transfected with the pCMV6-ENTRY control (Cat# [PS100001], Left lane) or pCMV6-ENTRY POLR2J (Cat# RC204819, Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-POLR2J (Cat# [TA810707]). Positive lysates [LY401876] (100ug) and [LC401876] (20ug) can be purchased separately from OriGene.

Western blot validation of overexpression lysate (Cat# [LY401876]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with RC204819 using transfection reagent MegaTran 2.0 (Cat# [TT210002]).

Coomassie blue staining of purified POLR2J protein (Cat# [TP304819]). The protein was produced from HEK293T cells transfected with POLR2J cDNA clone (Cat# RC204819) using MegaTran 2.0 (Cat# [TT210002]).

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US