

Product datasheet for RC204825L1V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

NMNAT1 (NM 022787) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: NMNAT1 (NM 022787) Human Tagged ORF Clone Lentiviral Particle

Symbol:

LCA9; NMNAT; PNAT1; SHILCA Synonyms:

Mammalian Cell

Selection:

ACCN:

None

Vector: pLenti-C-Myc-DDK (PS100064)

Tag: Myc-DDK NM 022787

ORF Size: 837 bp

ORF Nucleotide

The ORF insert of this clone is exactly the same as(RC204825).

Sequence:

The molecular sequence of this clone aligns with the gene accession number as a point of OTI Disclaimer:

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeq: NM 022787.2

RefSeq Size: 3781 bp RefSeq ORF: 840 bp Locus ID: 64802 **UniProt ID:** Q9HAN9 Cytogenetics: 1p36.22

Domains: CTP_transf_2

Protein Pathways: Metabolic pathways, Nicotinate and nicotinamide metabolism





ORIGENE

MW: 31.9 kDa

Gene Summary:

This gene encodes an enzyme which catalyzes a key step in the biosynthesis of nicotinamide adenine dinucleotide (NAD). The encoded enzyme is one of several nicotinamide nucleotide adenylyltransferases, and is specifically localized to the cell nucleus. Activity of this protein leads to the activation of a nuclear deacetylase that functions in the protection of damaged neurons. Mutations in this gene have been associated with Leber congenital amaurosis 9. Alternative splicing results in multiple transcript variants. Pseudogenes of this gene are located on chromosomes 1, 3, 4, 14, and 15. [provided by RefSeq, Jul 2014]