

Product datasheet for RC204843L2V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

PAR6 (PARD6A) (NM_001037281) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: PAR6 (PARD6A) (NM 001037281) Human Tagged ORF Clone Lentiviral Particle

Symbol: PAR6

Synonyms: PAR-6A; PAR6; PAR6alpha; PAR6C; TAX40; TIP-40

Mammalian Cell

Selection:

None

Vector: pLenti-C-mGFP (PS100071)

Tag: mGFP

ACCN: NM_001037281

ORF Size: 1035 bp

ORF Nucleotide

The ORF insert of this clone is exactly the same as(RC204843).

Sequence:

OTI Disclaimer:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeg: NM 001037281.1

 RefSeq Size:
 1270 bp

 RefSeq ORF:
 1038 bp

 Locus ID:
 50855

 UniProt ID:
 Q9NPB6

 Cytogenetics:
 16q22.1

Protein Families: Druggable Genome, Transcription Factors

Protein Pathways: Endocytosis, Tight junction





MW: 37.3 kDa

Gene Summary: This gene is a member of the PAR6 family and encodes a protein with a PSD95/Discs-

large/ZO1 (PDZ) domain and a semi-Cdc42/Rac interactive binding (CRIB) domain. This cell membrane protein is involved in asymmetrical cell division and cell polarization processes as a member of a multi-protein complex. The protein also has a role in the epithelial-to-mesenchymal transition (EMT) that characterizes the invasive phenotype associated with metastatic carcinomas. Alternate transcriptional splice variants, encoding different isoforms,

have been characterized. [provided by RefSeq, Jul 2008]