

Product datasheet for **RC204922**

STAT3 (NM_003150) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	STAT3 (NM_003150) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	STAT3
Synonyms:	ADMIO; ADMIO1; APRF; HIES
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

**ORF Nucleotide
Sequence:**

>RC204922 representing NM_003150
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGGATCGCC**

ATGGCCCAATGGAATCAGCTACAGCAGCTTGACACACGGTACCTGGAGCAGCTCCATCAGCTCTACAGTG
 ACAGCTTCCCAATGGAGCTGCGGCAGTTTCTGGCCCTTGGATTGAGAGTCAAGATTGGGCATATGCGGC
 CAGCAAAGAATCACATGCCACTTTGGTGTTCATAATCTCCTGGGAGAGATTGACCAGCAGTATAGCCGC
 TTCCTGCAAGAGTCGAATGTTCTCTATCAGCACAATCTACGAAGAATCAAGCAGTTTCTTCAGAGCAGGT
 ATCTTGAGAAGCCAATGGAGATTGCCCGGATTGTGGCCCGTGCCTGTGGGAAGAATCACGCCTTCTACA
 GACTGCAGCCACTGCGGCCAGCAAGGGGGCCAGGCCAACCCCCACAGCAGCCGTGGTACGGAGAAG
 CAGCAGATGCTGGAGCAGCACCTCAGGATGTCCGGAAGAGAGTGCAGGATCTAGAACAGAAAATGAAAG
 TGGTAGAGAATCTCCAGGATGACTTTGATTTCAACTATAAAACCCTCAAGAGTCAAGGAGACATGAAGA
 TCTGAATGGAACAACCAAGTCAAGTCAAGTCAAGTCAAGTCAAGTCAAGTCAAGTCAAGTCAAGTCAAGT
 GACCAGATGCGGAGAAGCATCGTGAGTGAAGTGGCGGGGCTTTTGTGAGCGATGGAGTACGTGCAGAAAA
 CTCTCACGGACGAGGAGCTGGCTGACTGGAAGAGGCGGCAACAGATTGCCTGCATTGGAGGCCCGCCCAA
 CATCTGCCTAGATCGGCTAGAAAAGTGGATAACGTCATTAGCAGAATCTCAACTTCAGACCCGTCACAA
 ATTAAGAAAAGTGGAGGAGTTGCAGCAAAAAGTTTCTACAAAAGGGGACCCCATTTGACAGCACCGGCCGA
 TGCTGGAGGAGAGAATCGTGGAGCTGTTTGAAGTAAATGAAAAGTGCCTTTGTGGTGGAGCGGCAGCC
 CTGCATGCCCATGCATCCTGACCGGCCCTCGTCATCAAGACCGCGTCCAGTTCCTACTAAAGTCAAG
 TTGCTGGTCAAATCCCTGAGTTGAATTATCAGCTTAAATTAAGTGTGATTGACAAAAGACTTGGGG
 ACGTTGCAGCTCTCAGAGGATCCCGGAAATTTAACATTCTGGGCACAAAACAAAAAGTGAACATGGA
 AGAATCCAACAACGGCAGCCTCTCTGCAGAATTAACACTTTGACCCTGAGGGAGCAGAGATGTGGGAAT
 GGGGGCCGAGCCAATTGTGATGCTTCCCTGATTGTGACTGAGGAGCTGCACCTGATCACCTTTGAGACCG
 AGGTGTATCACCAAGGCCTCAAGATTGACCTAGAGACCCACTCCTTGCCAGTTGTGGTGTCTCCAACAT
 CTGTCAGATGCCAAATGCCTGGGCGTCCATCCTGTGGTACAACATGCTGACCAACAATCCAAGAATGTA
 AACTTTTTTACCAAGCCCCAATTGGAACCTGGGATCAAGTGGCCGAGGTCTGAGCTGGCAGTTCTCCT
 CCACCACCAAGCGAGGACTGAGCATCGAGCAGCTGACTACACTGGCAGAGAACTCTTGGGACCTGGTGT
 GAATTATTCAGGGTGTGAGATCACATGGGCTAAATTTTGCAAAGAAAACATGGCTGGCAAGGGCTTCTCC
 TTCTGGGTCTGGCTGGACAATATCATTGACCTTGTGAAAAGTACATCCTGGCCCTTTGGAACGAAGGGT
 ACATCATGGGCTTTATCAGTAAGGAGCGGGAGCGGCCATCTTGAGCACTAAGCCTCCAGGCACCTTCTCT
 GCTAAGATTCAAGTGAAGCAGCAAGAAGGAGGCGTCACTTTCACTTGGGTGGAGAAGGACATCAGCGGT
 AAGACCCAGATCCAGTCCGTGGAACCATACACAAGCAGCAGCTGAACAACATGTCATTTGCTGAAATCA
 TCATGGGCTATAAGATCATGGATGCTACCAATATCCTGGTGTCTCCACTGGTCTATCTCTATCCTGACAT
 TCCAAGGAGGAGGCAATTCGAAAGTATTGTGGCCAGAGAGCCAGGAGCATCCTGAAGCTGACCCAGGC
 GCTGCCCCATACCTGAAGACCAAGTTTATCTGTGTGACACCAACGACCTGCAGCAATACCATGACCTGC
 CGATGTCCCCCGCACTTAGATTATTGATGCAGTTTGGAAATAATGGTGAAGGTGCTGAACCCCTCAGC
 AGGAGGGCAGTTTGAGTCCCTCACCTTTGACATGGAGTTGACCTCGGAGTGCCTACCTCCCCATG

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
 ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >RC204922 representing NM_003150
 Red=Cloning site Green=Tags(s)


MAQWNQLQQLDTRYLEQLHQLYSDSFPMELRQFLAPWIESQDWAYAASKESHATLVFHNLLGEIDQQYSR
 FLQESNVLYQHNLRRIKQFLQSRYLEKPMIARIVARCLWEESRLLQTAATAAQGGQANHPTAAVVTEK
 QQMLEQHLQDVRKRVQDLEQMKVVENLQDDDFDFNYKTLKSOQDMQDLNGNNSVTRQKMQQLEQMLTAL
 DQMRRRSIVSELAGLLSAMEYVQKTLTDEELADWKRRQQIACIGGPPNICLDRLLENWITSLAESQLQTRQQ
 IKKLEELQQKVSYKGDPIVQHRPMLERIVELFRNLMKSAFVVERQPCMPMHPDRPLVIKTGVQFTTKVR
 LLVKFPELNYQLKIKVCIDKDSGDVAALRGRKFNILGNTKVMNMEESNNGSLSAEFKHLTLREQRCGN
 GGRANCDASLIVTEELHLITFETEYVHQGLKIDLETHSLPVVVISNICQMPNAWASILWYNMLTNNPKNV
 NFFTKPPIGTWDQVAEVLWQFSSTTKRGLSIEQLTTLAEKLLGPGVNYSGCQITWAKFCKENMAGKGS
 FWWLDNIIDLVKKYILALWNEGYIMGFISKERERAILSTKPPGTFLRFSESSKEGGVTFWVEKDISG
 KTQIQSVEPYTKQLNNSFAEIIIMGYKIMDATNILVSPLVYLYPDIPKEEAFGKYCRPESQEHPEADPG
 AAPYLKTKFICVPTTCSNTIDLPMSPRTLDSLMOFGNNGEGAEP SAGGQFESLTFDMELTSECATSPM

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Restriction Sites:

Sgfl-MluI

Cloning Scheme:



ACCN: NM_003150

ORF Size: 2307 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_003150.4](#)

RefSeq Size: 4953 bp

RefSeq ORF: 2310 bp

Locus ID: 6774

UniProt ID: [P40763](#)

Cytogenetics: 17q21.2

Domains: SH2, STAT


Protein Families: Druggable Genome, Transcription Factors

Protein Pathways: Acute myeloid leukemia, Adipocytokine signaling pathway, Chemokine signaling pathway, Jak-STAT signaling pathway, Pancreatic cancer, Pathways in cancer

MW: 88 kDa

Gene Summary: The protein encoded by this gene is a member of the STAT protein family. In response to cytokines and growth factors, STAT family members are phosphorylated by the receptor associated kinases, and then form homo- or heterodimers that translocate to the cell nucleus where they act as transcription activators. This protein is activated through phosphorylation in response to various cytokines and growth factors including IFNs, EGF, IL5, IL6, HGF, LIF and BMP2. This protein mediates the expression of a variety of genes in response to cell stimuli, and thus plays a key role in many cellular processes such as cell growth and apoptosis. The small GTPase Rac1 has been shown to bind and regulate the activity of this protein. PIAS3 protein is a specific inhibitor of this protein. This gene also plays a role in regulating host response to viral and bacterial infections. Mutations in this gene are associated with infantile-onset multisystem autoimmune disease and hyper-immunoglobulin E syndrome. [provided by RefSeq, Aug 2020]

Product images:



Circular map for RC204922